

MCGEE INDUSTRIES, INC. -- MCLUBE 2001 (MIL-L-60326 TYPE I) -- 9150-01-078-9586

=====
Product Identification
=====

Product ID:MCLUBE 2001 (MIL-L-60326 TYPE I)

MSDS Date:01/01/1992

FSC:9150

NIIN:01-078-9586

MSDS Number: BTRWX

=== Responsible Party ===

Company Name:MCGEE INDUSTRIES, INC.

Address:9 CROZERVILLE RAOD

City:ASTON

State:PA

ZIP:19014

Country:US

Info Phone Num:800-262-5823

Emergency Phone N

um:800-262-5823

CAGE:FO077

=== Contractor Identification ===

Company Name:MCGEE IND INC

Address:9 CROZERVILLE RD

Box:City:ASTON

State:PA

ZIP:19014

Country:US

Phone:800-262-5823

CAGE:04672

Company Name:MCGEE INDUSTRIES/ASTON, PA 19014

CAGE:FO077

=====
Composition/Information on Ingredients
=====

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA
III)

CAS:76-13-1

RTECS #:KJ4000000

Fraction by Wt: 80-85%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000PPM

AC

GIH TLV:1000PPM/1250STEL9394

Ozone Depleting Chemical:1

Ingred Name:FLUOROPOLYMER

Fraction by Wt: 15-20%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:TLV: 1000 PPM

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN CONTACT-MILD IRRITATION, NOT A SENSITIZER. EYE CONTACT-MILD IRRITATION. INGESTION-LOW ORAL TOXICITY.

Exp

Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:INHALATION-OVEREXPOSURE MAY CAUSE LIGHTHEADEDNESS, SHORTNESS OF BREATH, POSSIBLE NARCOSIS AND VERY HIGH LEVELS MAY CAUSE CARDIAC ARRTHMIAS (IRREGULAR HEARTBEAT).

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES-FLUSH WITH WATER IMMEDIATELY FOR AT LEAST 5 MINUTES.

SKIN-WASH OFF WITH FLOWING WATER. INHALATION-IF LARGE AMOUNTS INHALED, REMOVE TO FRESH AIR; IF NOT BREATHING, HAVE QUALIFIED PERSON GIVE MOUTH -TO-MOUTH RESUSCITATION; IF BREATHING DIFFICULT, GIVE OXYGEN AND CALL A PHYSICIAN. INGESTION-DO NOT INDUCE VOMITING. CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:NONE

Extinguishing Media:WATER FOG.

Fire Fighting Procedures:NOTHING SPECIAL.

Unusual Fire/Explosion Hazard:IN PRESENCE OF OPEN FLAME, CAN PRODUCE TOXIC FUMES REQUIRING RESPIRATOR.

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH INERT ABSORBENT SUCH AS SAND, EARTH OR VERMICULITE AND PUT IN CLOSED CONTAINER FOR PROMPT DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:CONTENTS MAY BE UNDER PRESSURE-OPEN CONTAINERS SLOWLY TO RELEASE PRES

SURE. HEATING SOLID ACTIVE

INGREDIENT ABOVE 500F MAY CAUSE TOXIC SUBSTANCES.

Other Precautions:AVOID BREATHING VAPOR. USE WITH ADEQUATE VENTILATION
ESPECIALLY IN ENCLOSED AREAS. KEEP AWAY FROM FLAMES AND OTHER
IGNITION SOURCES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IN ABSENCE OF ENVIRONMENTAL CONTROL, APPROVED
ORGANIC VAPOR-TYPE RESPIRATOR REQUIRED. FOR EMERGENCIES, POSITIVE
PRESSURE BREATHING APPRATUS OR FULL-FACE RESPIR
ATOR WITH APPROVED
ORGANIC VAPOR CANISTER RECOMMENDED.

Ventilation:CONTROL VAPOR TO STANDARD - 1000 PPM.

Protective Gloves:IMPERMEABLE GLOVES RECOMMENDED.

Eye Protection:SAFETY GLASSES WHEN HANDLING LIQUID.

Other Protective Equipment:NONE.

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING. DO NOT
SMOKE WHILE USING NOR CONTAMINATE TOBACCO PRODUCTS.

Supplemental Safety and Health
NONE.

=====
===== Physical/Chemical Properties =====

HCC:V2

Boiling Pt:=47.

8C, 118.F

Melt/Freeze Pt:=300.C, 572.F

Vapor Pres:334

Vapor Density:6.4

Spec Gravity:1.65

Evaporation Rate & Reference:0.5 (ETHER=1)

Solubility in Water:NIL

Appearance and Odor:WHITE, TRANSLUCENT LIQUID, SLIGHT ETHERAL ODOR.

Percent Volatiles by Volume:80-85

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID REACTIVE METALS, ESPECIALLY POWDERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposit

ion Products:HYDROGEN CHLORIDE, HYDROGEN FLUORIDE,
AND POSSIBLY CARBONYL HALIDES.

===== Disposal Considerations =====

Waste Disposal Methods:SEND TO APPROVED LANDFILL IN COMPLIANCE WITH
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied,
warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.