

STEVEN INDUSTRIES -- EPOXY,CEMENT-PART A -- 8040-00-753-4800

===== Product Identification =====

Product ID:EPOXY,CEMENT-PART A

MSDS Date:05/10/1991

FSC:8040

NIIN:00-753-4800

Kit Part:Y

MSDS Number: BTSQH

=== Responsible Party ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Info Phone Num:201-437-6500 FAX:201-437-0366

Emergency Phone Num

:201-437-6500

Preparer's Name:CHARLES FRIEDMAN,TECH DIR

CAGE:33150

=== Contractor Identification ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

===== Composition/Information on Ingredients =====

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 40-50%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 939

Ingred Name: DGBA EPOXY RESINS
CAS: 25068-38-6
RTECS #: SL6475000
Other REC Limits: NONE RECOMMENDED

Ingred Name: METHYL ALCOHOL (METHANOL) (SARA III)
CAS: 67-56-1
RTECS #: PC1400000
Fraction by Wt: 200F, >93C
Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER SPRAY.
Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.
Unusual Fire/Explosion Hazard: FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.

=====
===== Accidental Release Measures =====

Spill Release Procedures: USE PROPER PROTECTIVE EQUIPMENT. SCOOP INTO CONTAINER FOR DISPOSAL.
Neutralizing Agent: NONE

===== Handling and Storage =====

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL-VENTILATED PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions: AVOID SKIN AND EYE CONTACT. DO NOT INHALE VAPORS/MISTS.

===== Exposure Controls/Personal Protection
=====

Respiratory Protection: WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS.

Ventilation: LOCAL VENTILATION AT THE WORKSITE; MECHANICAL (GENERAL) VENTILATION TO MAINTAIN TLV/PEL.

Protective Gloves: IMPERVIOUS

Eye Protection: CHEMICAL GOGGLES.

Other Protective Equipment: PROTECTIVE CLOTHING, AS NEEDED. PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices: USE REASONABLE CARE IN HANDLIN

G THIS

PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>200F,>93C

Spec Gravity:1.67

Viscosity:PASTE

Solubility in Water:NEGLIGIBLE

Appearance and Odor:PASTE;CLOUDY;PLEASANT ODOR.

Percent Volatiles by Volume:NEGLIG

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS AND ACIDS.

Stabil

ity Condition to Avoid:HIGH HEAT.

Hazardous Decomposition Products:CARBON DIOXIDE,CARBON
MONOXIDE,ALDEHYDES,OXIDES OF NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN CLOSED CONTAINERS IN ACCORDANCE
WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of Ameri

ca in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.