

INTERNATIONAL PAINT CO INC -- TPD-24441/1C GREEN PRIMER F150 COMP A -- 8010-01-302-3608
===== Product Identification =====

Product ID:TPD-24441/1C GREEN PRIMER F150 COMP A

MSDS Date:01/28/1993

FSC:8010

NIIN:01-302-3608

Kit Part:Y

MSDS Number: BTSTC

=== Responsible Party ===

Company Name:INTERNATIONAL PAINT CO INC

Address:2270 MORRIS AVE

Box:386

City:UNION

State:NJ

ZIP:07083-5704

Country:US

Info P

hone Num:201-686-1300

Emergency Phone Num:201-686-1300

CAGE:26351

=== Contractor Identification ===

Company Name:INTERNATIONAL PAINT INC

Address:6001 ANTOINE DR

Box:City:HOUSTON

State:TX

ZIP:77091

Country:US

Phone:800-589-1267/800-854-6813

CAGE:26351

===== Composition/Information on Ingredients =====

Ingred Name:ALCOHOLS, C11-C14-ISO,C13 RICH ALIPHATIC

CAS:68562-86-3

Fraction by Wt: 25-30%

Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYAMIDE RESIN

CAS:68410-23-1

Fraction

by Wt: 15-20%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES-CAN CAUSE IRRITATION.

SKIN-IRRITATING M. MAY RESULT IN DERMATITIS. MAY CAUSE SENSITIZATION OR OTHER ALLERGIC RESPONSES. INHALATION-MAY CAUSE IRRITATION. INGESTION-MAY CAUSE GASTROINTESTINAL IRRITATION.

Explanation of Carc

inogenicity:NONE OF THE INGREDIENTS ARE LISTED AS

CARCINOGENIC OR POTENTIAL CARCINOGENS BY NTP, IARC OR OSHA.

Effects of Overexposure:EYES-CAN CAUSE REDNESS, TEARING AND BLURRED VISION.

Medical Cond Aggravated by Exposure:SKIN AND RESPIRATORY CONDITIONS.

=====
===== First Aid Measures =====

First Aid:EYES-FLUSH IMMEDIATELY WITH COPIOUS QUANTITIES OF WATER FOR 15 MIN. GET MEDICAL ATTENTION IMMEDIATELY. SKIN-REMOVE CONTAMINATED CLOTHING, WASH SKIN

WITH PLENTY OF SOAP AND WATER. LAUNDRER

CONTAMINATED CLOTHES BEFORE REUSE. INHALATION-REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NEEDED. GET MEDICAL ATTENTION.

INGEST-CALL A PHYSICIAN IMMEDIATELY TO DETERMINE WHETHER OR NOT TO INDUCE VOMITING.

=====
===== Fire Fighting Measures =====

Flash Point Method:SCC

Flash Point:99.0F,37.2C

Lower Limits:1.4

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:SMOTHER FLAMES WITH ONE OF THE ABOVE

EXTINGUISHING MEDIA.

WATER MAY BE USED TO COOL UNOPENED CONTAINERS, BUT MUST NOT BE USED AS AN EXTINGUISHING MEDIA.

Unusual Fire/Explosion Hazard:CONTAINS FLAMMABLE SOLVENTS. DO NOT USE IN AREAS WHERE SPARK OR OPEN FLAME ARE PRESENT. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. AVOID

INHALATION OF VAPORS. VENTILATE AREA

REA. CLEAN UP WITH ABSORBENT MATERIAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN BUILDING DESIGNED AND PROTECTED FOR STORAGE OF LIQUIDS WITH NFPA CLASS I C. AVOID BREATHING DUST OR CHIPS FROM SANDING OR BLASTING SURFACES.
Other Precautions:CHRONIC OVEREXPOSURE TO, AND MISUSE OF, SOLVENT HAS BEEN LINKED TO PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE.

=====
===== Exposure Controls/Personal Protection =====
=====

Respiratory Protection:IN OUTDOOR OR OPEN AREA WITH UNRESTRICTED VENTILATION, USE A NIOSH APPROVED FILTER RESPIRATOR TO REMOVE ACID AIR-BORNE PARTICLES OF OVERSPRAY DURING SPRAY APPLICATION. IN RESTRICTED VENTILATION AREAS, USE A NIOSH APPROVED RESPIRATOR.

Ventilation:PROVIDE SUFFICIENT VENTILATION IN VOLUME AND PATTERN TO KEEP TLV AND LEL OF HAZARDOUS INGREDIENTS BELOW LIMITS.

Protective Gloves:WEAR CHEMICAL RESISTANT GLOVES.

Eye Protection:SAFETY GLASSES, CHEMICAL GOGGLES, SHIELD

Other Protective Equipment:WEAR APPROPRIATE IMPERVIOUS PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT.

Work Hygienic Practices:REMOVE AND WASH SOILED CLOTHING BEFORE REUSE, WASH HANDS BEFORE EATING OR SMOKING.

Supplemental Safety and Health

THIS ITEM IS PART "A" OF A TWO PART KIT THAT CONTAINS 5 GAL EACH OF COMPONENT A AND B.

=====
===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:244F,118C

Vapor Density:>AIR

Percent Volatiles by Volume:28

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:STORE AWAY FROM DIRECT HEAT, FLAME OR SPARKS.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, VARIOUS HYDROCARBON FRAGMENTS, ALDEHYDES.

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO

NOT INCINERATE UNOPENED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.