View NSN Online: https://aerobasegroup.de/nsn/4610-01-321-5526

EVERPURE, INC. -- T9 BROMINATING CARTRIDGE, P/N 9631-01 -- 4610-01-321-5526

Product ID:T9 BROMINATING CARTRIDGE, P/N 9631-01

MSDS Date:04/22/1994

FSC:4610

NIIN:01-321-5526

MSDS Number: BTTCZ === Responsible Party ===

Company Name: EVERPURE, INC. Address: 660 N. BLACKHAWK DRIVE

City:WESTMONT

State:IL ZIP:60559 Country:US

Info Phone Num:708-654-4000

Emergency Phone N um:708-654-4000

Preparer's Name: W.H.BEAUMAN

CAGE:MO590

=== Contractor Identification === Company Name:EVERPURE, INC. Address:660 BLACKHAWK DRIVE

Box:City:WESTMONT

State:IL

ZIP:60559-9005

Country:US

Phone:630-654-4000/FAX: 630-654-1115

CAGE:08576

Company Name: EVERPURE, INC. Address: 660 BLACKHAWK DR

Box:City:WESTMONT

State:IL

ZIP:60559-9005 Country:US

Phone:630-654-4000

CAGE:MO590

====== Composition/Information on Ingredients ========

Ingred Name: BROMINE (SARA III)

CAS:7726-95-6

R

ACGIH TLV:O.1PPM/0.3 STEL;9394
========== Hazards Identification ===========
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:COUGHING, EYE IRRITATION, HEADACHE. CHRONIC:NONE Explanation of Carcinogenicity:MFR LISTED NO INFORMATION ABOUT THE CARCINOGENICITY OF THIS MATERIAL. H MIS DOES NOT EXPECT IT TO BE CARCINOGENIC. Effects of Overexposure:COUGHING, EYE IRRITATION, HEADACHE. Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN BY MFR ON MSDS.
======================================
First Aid:REMOVE TO FRESH AIR, RINSE EYES, GIVE OXYGEN IF NECESSARY
======================================
Flash Point:WILL NOT BURN Lower Limits: Upper Limits: Extinguishing Media:N/A (WATER) Fire Fighting P rocedures:SCBAACID GAS CANISTER Unusual Fire/Explosion Hazard:TOXIC FUMESBROMINE, HBR
========= Accidental Release Measures ==========
Spill Release Procedures:MAXIMIZE VENTILATION. NEUTRALIZE FUMES WITH MILD AMONIA. SWEEP UP, SEAL IN PLASTIC OR UNDER WATER. Neutralizing Agent:AMMONIA SOLUTION OR FUMES
========== Handling and Storage =============
Handling and Storage Precautions:PROTECT FROM HIGH TEMPERATURES. USE NOT HOOKSSPILLED BEADS

TECS #:EF9100000

OSHA PEL:0.1 PPM/0.3

Fraction by Wt: 30% Other REC Limits:NONE RECOMMENDED

ARE SLIPPERY. Other Precautions:VENTILATED SPACE PREFFERABLE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:ACID-GAS CANISTER, IF NEEDED.  Ventilation:LOCAL EXHAUST  Protective Gloves:RUBBER/PLASTIC  Eye Protection:GOGGLES  Work Hygienic Practices:MFR: ? HMIS:USE STRICT CHEMICAL HYGIENE  PRACTICE. AVOID UNNECESSARY EXPOSURE. WASH THOROUGHLY BEFORE EATING  OR DRINKING.  Supplemental Safety and Health  NONE
======================================
HCC:C1 NRC/State Lic Num:NONE Decomp Temp:Decomp Text:212F,100C Vapor Density:7.1 Spec Gravity:1.2 pH:5 Evaporation Rate & Decomp Reference:L.T.1 Solubility in Water:30% Appearance and Odor:RED-ORANGE BEADS, HALOGEN ODOR Percent Volatiles by Volume:30
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES FLAMMABLE SOLVENTS Hazardous Decomposition Products:BROMINE AND HYDROBROMIC ACID FUMES
======================================

Waste Disposal Methods:FRESH UNUSED (RED COLOR): APPROVED DUMP SITE. EXHAUSTED(YELLOW COLOR: ORDINARY TRASH.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing

## this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.