

COURTAULDS AEROSPACE COATINGS(EX:DESOTO AEROSPACE) -- WATERBORNE LT GREEN
PRIMER 513X408 -- 8010-01-292-8893

===== Product Identification =====

Product ID:WATERBORNE LT GREEN PRIMER 513X408

MSDS Date:05/08/1992

FSC:8010

NIIN:01-292-8893

Kit Part:Y

MSDS Number: BTTLN

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE COATINGS(EX:DESOTO AEROSPACE)

Address:1608 4TH ST

City:BERKELEY

State:CA

ZIP:94710

Country:US

Info Phone Num:415-526-1525 / FAX 415-525-5669

Emergency Phone Num:415-526-1525, CHEMTREC 800-424-9300

CAGE:83574

=== Contractor Identification ===

Company Name:DESOTO INC PACIFIC PLANT IS COURTLANDTS AEROSPACE

Address:1608 4TH ST

Box:City:BERKELEY

State:CA

ZIP:94710

Country:US

Phone:800-228-5635 /800-424-9300 CHEMTREC

CAGE:85570

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Countr

y:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY PHENOLIC RESIN

CAS:68334-76-9

Fraction by Wt: 20%

Other REC Limits:NONE RECOMMENDED

Ingred Name:2-PRPOXYETHANOL

CAS:2807-30-9

Fraction by Wt: 10%

Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 35%

C Limits:NONE RECOMMENDED

Ingred Name:STRONTIUM CHROMATE (SARA III)

CAS:7789-06-2

RTECS #:GB3240000

Fraction by Wt: 15%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:C 0.1 MG (CRO3)/M3

ACGIH TLV:0.0005MG(CR)/M3;A294

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 200F,>93C

Lower Limits:1.25%

Extinguishing Media:CARBON DIOXIDE, FOG, DRY CHEMICAL, FOAM

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR PROTECTIVE CLOTHING AND S

ELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE

PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. CONTAINER MAY BURST IN FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL: WIPE UP WITH RAGS OR TOWELS.

LARGE SPILLS: EVACUATE AREA. WEAR NIOSH APPROVED RESPIRATOR.

VENTILATE AREA. DIKE TO RETAIN FLUID. PUMP UP FREE LIQUID OR ABSORB IN CLAY/SAND. DO NOT FLUSH TO SEWER OR WATERWAY.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL(BELOW 80F), WELL

VENTILATED AREA, AWAY FROM OPEN FLAMES AND SOURCES OF IGNITION.

Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE. DO NOT PRESSURIZE, CUT, WELD OR EXPOSE TO HEAT, FLAME, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY.

===== Exposure Controls/Personal Protection =====

=====

Respiratory Protection:NONE NORMALLY REQUIRED. USE NIOSH APPROVED
SELF-CONTAINED BREATHING APPARATUS IF TLV IS EXCEEDED OR WHEN
SPRAYING OR USING IN CONFINED SPACES.

Ventilation:LOCAL EXHAUST PREFERABLE

Protective Gloves:NITRILE, RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE BATH, SAFETY SHOWER, RUBBER APRON

Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE WHILE WORKING WITH
THIS PRODUCT. WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health
PREVENT OVEREXPOSURE.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Vapor Density:>1

Spec Gravity:1.29

Evaporation Rate & Reference: