

H.B.FULLER COMPANY -- SC-0846 ADHESIVE -- 8040-00-273-8717

=====
Product Identification
=====

Product ID:SC-0846 ADHESIVE

MSDS Date:03/12/1992

FSC:8040

NIIN:00-273-8717

MSDS Number: BTTRY

=== Responsible Party ===

Company Name:H.B.FULLER COMPANY

Address:1200 WOLTERS BOULEVARD

City:VADNAIS HEIGHTS

State:MN

ZIP:55110

Country:US

Info Phone Num:612-481-3300

Emergency Phone Num:800-228-5635/612-481-33

00

Preparer's Name:INDUSTRIAL HYGIENE

CAGE:JO875

=== Contractor Identification ===

Company Name:H.B. FULLER COMPANY

Address:3500 LEXINGTON AVENUE N.

Box:City:ST. PAUL

State:MN

ZIP:55126-8076

Country:US

Phone:612-236-5300/ -5309 FAX

CAGE:0DH19

Company Name:H.B.FULLER COMPANY

CAGE:JO875

=====
Composition/Information on Ingredients
=====

Ingred Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #:MN9275000

Fraction by Wt: >10%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:500 PPM

ACGIH TLV:

50 PPM; 9394
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: >10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM; Z-2
ACGIH TLV:S, 50 PPM; 9394
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ACETONE (SARA III)
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: >10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000PPM
ACGIH TLV:750PPM/1000STEL;9394
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:VOC FOR THIS PRODUCT IS
641 G VOC/LITER OF MATERIAL
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: MAY CAUSE MODERATE IRRITATION.
SKIN: LIQUID CONTACT WILL DRY AND DEFAT THE SKIN. INHALATION: MAY
CAUSE IRRITATION OF THE NOSE, THROAT, AND RESPIRATORY TRACT AN
D MAY
CAUSE DIZZINESS, HEADACHES, N AUSEA, OR UNCONSCIOUSNESS. CHRONIC:
MAYCAUSE LIVER AND KIDNEY DAMAGE.
Effects of Overexposure:EYES: MODERATE IRRITATION. SKIN: LIQUID CONTACT
WILL DRY & DEFAT THE SKIN AND MAY CAUSE IRRITATION & DERMATITIS.
INHALATION: OVEREXPOSURE WILL CAUSE IRRITATION OF THE NOSE, THROAT &
RESPIRATORY TRACT & MAY CAUSE DIZZINESS, HEADACHES, NAUSEA
OR UNCONSCIOUSNESS.
Medical Cond Aggravated by Exposure:NO KNOWN EFFECT ON OTHER ILLNESSES.

=====

