

DELTA PLASTICS CO -- ADHESIVE, PART 1 -- 8040-00-726-3567

===== Product Identification =====

Product ID:ADHESIVE, PART 1

MSDS Date:07/08/1993

FSC:8040

NIIN:00-726-3567

Kit Part:Y

MSDS Number: BTVZK

=== Responsible Party ===

Company Name:DELTA PLASTICS CO

Address:280 SOUTH MAIN STREET

Box:489

City:PIXLEY

State:CA

ZIP:93256

Country:US

Info Phone Num:209-757-2010

Emergency Phone Num:209-757-2010

Pre

parer's Name:ERIC SKIFF

CAGE:DO191

=== Contractor Identification ===

Company Name:DELTA DPC, INC

Address:983 E. LEVIN AVE.

Box:City:TULARE

State:CA

ZIP:93274

Country:US

Phone:209-686-1644

CAGE:0ND20

Company Name:DELTA PLASTICS CO.

Address:280 MAIN ST. PO BOX 489

Box:489

City:PIXLEY

State:CA

ZIP:93256

Phone:209-757-2010

CAGE:DO191

Company Name:TECHCON SYSTEMS INC

Address:1059 E BEDMAR ST

Box:City:CARSON

State:CA

ZIP:90746-3601

Country:US

CAGE:22975

===== Composition/Information on Ingre

dients =====

Ingred Name:BISPHENOL A EPOXY RESIN  
CAS:25068-38-6  
Fraction by Wt: 100%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC: 0 LGS/GAL; 0 GRAMS/LITER  
RTECS #:9999999VO  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:IRRITATION, SENSITIZATION, DERMATITIS  
Effects of Overexposure:IRRITATION, SENSITIZATION, DERMATITIS  
Medical Cond Aggrav  
ated by Exposure:ALLERGY, ECZEMA, OR SKIN  
CONDITIONS.

===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH EYES WITH WATER FOR AT LEAST 15  
MINUTES. CALL A PHYSICIAN. SKIN: PROMPTLY WASH WITH MILD SOAP AND  
WATER. INGESTION: IF CONSCIOUS, GIVE LARGE QUANTITIES OF WATER. GET  
MEDICAL AT TENTION. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF  
BREATHING IS DIFFICULT. OTHER: PROMPTLY REMOVE WET CONTAMINATED  
NON-IMPERVIOUS CLOT  
HING. WASH BEFORE REUSE.

===== Fire Fighting Measures =====

Flash Point:490F,254C  
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER SPRAY  
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:AVOID HEAT, OPEN FLAMES, AND ELECTRIC  
SPARKS.

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP IN ABSORBENT MATERIAL AND FLUSH THE  
AREA WITH PLENTY OF WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:CAUTION: THIS SYSTEM CONTAIN AN EPOXY RESIN WITH AN AMINE HARDENER. IN CASE OF CONTACT, WASH IMMEDIATELY WITH SOAP AND WATER.

Other Precautions:FOR EYES, FLUSH W/WATER 15 MINUTES & CONSULT PHYSICIAN. AVOID SKIN OR EYE CONTACT. AVOID INHALATION OF VAPOR. USE GOOD VENTILATION, PARTICULARLY IF HEATED OR SPRAYED. THESE MATERIALS MAY CAUSE SKIN SENSITIZATION OR OTHER ALLERGIC

RESPONSES.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR MASK IF IN CONFINED AREA.

Ventilation:LOCAL EXHAUST VENTILATION RECOMMENDED.

Protective Gloves:IMPERVIOUS RUBBER GLOVES

Eye Protection:ONLY OSHA APPROVED EYE PROTECTION EQUIP

Other Protective Equipment:SAFETY SHOWER AND EYE BATH. USE COVERALLS OR APRON, GLOVES, ETC TO PROTECT AGAINST SKIN & CLOTHING CONTAMINATION.

Work Hygienic Practices:REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>392F,>200C

Vapor Pres:1

Vapor Density:>1

Spec Gravity:1.17 (WATER=1)

Viscosity:12000-16000CP

Evaporation Rate & Reference:NIL

Solubility in Water:NIL

Appearance and Odor:AMBER LIQUID

Percent Volatiles by Volume:NIL

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS, BASES, AND MERC

APTANS IN BULK. AVOID STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:AVOID STRONG ACIDS, BASES, AND MERCAPTANS IN BULK. AVOID ELEVATED TEMPERATURES.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES, AMMONIA

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN FURNACE OR BURY IN LANDFILL IN ACCORDANCE WITH FEDERAL, STATE, OR LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.