

WAGNER PRODUCTS CORP -- CLR-8 RADIANT LEAK DETECTOR -- 6850-00-621-1820

=====
Product Identification
=====

Product ID:CLR-8 RADIANT LEAK DETECTOR

MSDS Date:01/01/1994

FSC:6850

NIIN:00-621-1820

MSDS Number: BTWQR

=== Responsible Party ===

Company Name:WAGNER PRODUCTS CORP

Address:5190 NW 165TH STREET

Box:4647

City:MIAMI

State:FL

ZIP:33014

Country:US

Info Phone Num:305-620-6060/FAX305-623-5457

Prep

Preparer's Name:V. BAYNETT

CAGE:WAGNE

=== Contractor Identification ===

Company Name:WAGNER PROD, CORP.

Address:5190 N.W. 165TH STREET

Box:City:MIAMI,

State:FL

ZIP:33014

Country:UA

CAGE:2P783

Company Name:WAGNER PRODUCTS CORP.

Address:5190 N.W. 165TH ST.

Box:4647

City:MIAMI

State:FL

ZIP:33014

Country:US

Phone:305-477-4028-FAX

CAGE:WAGNE

=====
Composition/Information on Ingredients
=====

Ingredient Name:PER MSDS:CONTAINS NO HAZ INGRED UNDER SARA TITLE III SEC
313.

RTECS #:9999999Z

Z
Other REC Limits:NONE RECOMMENDED

Ingred Name:NON-IONIC DETERGENT
Fraction by Wt: UNK
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL:NO KNOWN EFFECTS. SKIN:MINIMAL
EFFECTS ON SKIN. EYE:MILD STINGING SENSATION. INGEST:NAUSEA,
VOMITING, MILD STOMACH DISORDERS.
Explanation of Carcinogeni
city:PER MSDS NOT CARCINOGENIC PER
NTP/IARC/OSHA.
Effects of Overexposure:NAUSEA, VOMITING, MILD STOMACH DISORDERS. SMILD
STINGING EYE SENSATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MFG.

===== First Aid Measures =====

First Aid:EYE/SKIN:FLUSH WITH ADEQUATE WATER. INHAL:MOVE TO FRESH AIR
IF NECESSARY. INGEST:GIVE LUKEWARM WATER. OBTAIN EMERGENCY MED
ATTN.

===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE.
Extinguishing Media:CARBON DIOXIDE, FOAM.
Fire Fighting Procedures:NONE.
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:GATHER UP SOLIDS AN DISPOSE OF PROPERLY.
Neutralizing Agent:NONT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE.
Other Precautions:NONE.

===== Exposure Controls/Per

sonal Protection =====

Respiratory Protection:NOT NECESSARY.

Ventilation:LOCAL VENTILATION REQUIREMENT.

Protective Gloves:RUBBER GLOVES.

Eye Protection:ONLY IN EXTREME CASES.

Other Protective Equipment:NONE SPECIFIED BY MFG.

Work Hygienic Practices:WASH HANDS AFTER HANDLING PRODUCT & PRIOR TO
EAT/DRINK/SMOKE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1.002

Solubility in Wa

ter:COMPLETE (TOTAL)

Appearance and Odor:FLUORESCENT YELLOW LIQUID, TYPICAL ODOR.

Percent Volatiles by Volume:95

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ALKALIES, OXIDIERS, ALUMINUM AND OTHER REACTIVE METALS.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:AT ABNORMALLY HIGH TEMPERATURES
POSSIBLE TRACE AMOUNTS OF PHOSGENE.

===== Disposal Considerations =====

W

aste Disposal Methods:IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume

responsibility for the suitability of this information to their particular situation.