

HOLOX, LTD -- ARGON -- 6830-00-290-4291

===== Product Identification =====

Product ID:ARGON
MSDS Date:05/15/1992
FSC:6830
NIIN:00-290-4291
MSDS Number: BTZXP
=== Responsible Party ===
Company Name:HOLOX, LTD
Address:2186 MARIETTA BLVD NW
Box:4961
City:ATLANTA
State:GA
ZIP:30302
Country:US
Info Phone Num:404-355-8628
Emergency Phone Num:404-355-8628
CAGE:KO407

=== Contractor Identification ===

Com
pany Name:HOLOX LTD
Address:1500 INDIAN TRAIL ROAD
Box:6100
City:NORCROSS
State:GA
ZIP:30091-6100
Country:US
Phone:770-925-4640
CAGE:1FA53
Company Name:HOLOX, LTD
Address:2186 MARIETTA BLVD NW
Box:4961
City:ATLANTA
State:GA
ZIP:30302
Country:US
Phone:404-355-8628
CAGE:KO407

===== Composition/Information on Ingredients =====

Ingred Name:ARGON (SIMPLE ASPHYXIANT - MAINTAIN OXYGEN LEVELS ABOVE
19.5%)
CAS:7440-37-1
RTECS #:CF2300000
Other REC Limits:NONE RECOMMENDED

=====

=====
Hazards Identification
=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: SIMPLE ASPHYXIANT. SKIN:
FROSTBITE EFFECTS APPEAR AS A CHANGE IN THE COLOR TO GRAY OR WHITE
POSSIBLY FOLLOWED BY BLISTERING & MAY OCCUR UPON CONTACT WITH
LIQUID. EYES: CONTACT WITH LIQUID MAY CAUSE TISSUE FREEZING.
INGESTION: UNLIKELY. CONTACT W/LIQ MAY CAUSE FREEZING OF TISSUE.

Effects of Overexposure:INHAL: TINGLING TONGUE,
FINGERTIPS OR TOES.

WEAKENED SPEECH LEADING INABILITY TO SPEAK. RAPID REDUCTION IN
ABILITY TO PERFORM MOVEMENTS. LOSS OF TACTILE SENSATIONS.
HEIGHTENED MENTAL ACTIVITY. (SYMPTOMS MAY BE PRESENT).

=====
First Aid Measures
=====

First Aid:INHAL: PROMPT MED AID NEEDED. EQUIP RESCUE PERSONNEL W/SCBA.
ASSIST CONSCIOUS PERSON TO FRESH AIR. QUICK REMOVAL IMPORTANT. MOVE
UNCONSCIOUS PERSON TO FRESH AIR. GIVE ARTIF RESPIRATION & OXYGEN.

SKIN: REMOVE CONTAM CLOTHING, FLUSH W/LUKEWARM WATER, NOT HOT. SEE
DR IF BLISTERING/DEEP FREEZING. EYE:IMMED FLUSH WITH TEPID (NOT
HOT) WATER OR STERILE SALINE. GET MED AID. INGESTION: UNLIKELY, SEE
DR.

=====
Fire Fighting Measures
=====

Flash Point:NONE

Extinguishing Media:NONFLAMMABLE, INERT GAS - USE ANY EXTINGUISHING
MEDIA WHICH IS SUITABLE FOR SURROUNDING FIRE.

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:EVACUATE PERSONNEL FROM AFFECTED AREAS. USE
PROTECTIVE EQUIPMENT. IF LEAK IS IN USER'S EQUIP, BE CERTAIN TO
PURGE PIPING W/INERT GAS PRIOR TO ATTEMPTING REPAIRS. IF LEAK IS IN
CONTAINER OR VALVE. CONTACT CHEMTREK FOR ASSISTANCE/OR
CLOSESTHOLX.

=====
Handling and Storage
=====

Handling and Storage Precautions:SECURE VALVE PROTECTN CAP IN PLACE
UNLESS CNTNR SECURED W/VALVE PROTECTN OUTL

ET PIPED TO USE

POINT.DON'T DRAG,SLIDE,ROLL CYLNDR.USE HAND TRUCK TO MOVE

Other Precautions:USE HAND TRUCK TO MOVE CYLNDR.USE PRESSR REDUCING
REGULATOR WHEN CONNECTING CYLNDR TO LOWER PRESSR (