View NSN Online: https://aerobasegroup.de/nsn/6750-01-178-4421

EASTMAN KODAK COMPANY -- 153 2753 FLEXICOLOR DEVELOPER REPLENISHER-PT.A - 6750-01-178-4421

Product ID:153 2753 FLEXICOLOR DEVELOPER REPLENISHER-PT.A MSDS Date:01/09/1998 FSC:6750 NIIN:01-178-4421 Kit Part:Y **MSDS Number: BVFMS** === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Country:US Info Ph one Num:716-477-3194 MSDS :800- 242-2424 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871

======= Composition/Info

rmation on Ingredients =========

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 55-60% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM CARBONATE CAS:584-08-7 RTECS #:TS7750000 Fraction by Wt: 25-30% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM SULFITE CAS:10117-38-1 RTECS #:WT3530000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:PENTETIC ACID, PENTA SODIUM SALT CAS:140-01-2 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM BICARBONATE CAS:298-14-6 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION-EXPECTED TO BE A LOW HAZARD FOR USUAL INDUSTRIAL OR CO MMERCIAL HANDLING BY TRAINED PERSONNEL.
EYES-CAUSES IRRITATION. SKIN-THIS MATERIAL HAS A LOW POTENTIAL TO CAUSE ALLERGIC SKIN REACTION. INGESTION-HARMFUL IF SWALLOWED.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.
Effects of Overexposure:INGESTION-SOME ASTHMATICS OR HYPERSENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING.
Medical Cond Aggravated by Exposure:NONE SPE

CIFIED BY MANUFACTURER.

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MIN. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point:NONFLAMMABLE Extinguishing Media:USE APPROPIATE AGENT FOR ADJACENT FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. NEUTRALIZE PRIOR TO DISPOSAL. NEUTRALIZATION AND SEWERING MAY NOT BE ALLOWED IN SOME STATES OR MUNICIPALITIES. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:KEEP AWAY FROM INCOMPATIBLE
SUBSTANCES. KEEP CONTAINER CLOSED.
Other Precautions:AVOID BREATHING MIST OR VAPOR. AVOID CONTACT WITH
EYES AND PROLONGED OR REPEATED CONTACT WITH SKIN. USE WITH ADEQUATE
VENTILATION. WASH THOROUGHLY AFTER HANDLING.

======= Exposure Controls/Personal Protection =======

=====

Respiratory Protection:NONE SHOULD BE NEEDED.
Ventilation:GOOD GENERAL VENTILATION, TYPICALLY 10 AIR CHANGES PER HOUR, SHOULD BE USED. RATES SHOULD MATCH CONDITIONS.
Protective Gloves:IMPERVIOUS GLOVES SHOULD BE WORN.
Eye Protection:WEAR SAFETY GLASSES W/SIDE SHIELDS.
Other Protective Equipment:EYE BATH, SAFETY SHOWER, WASHING FACILITIES.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health KEY1;B3

================== Physical/Chemical Properties ==

HCC:C1 Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:24 Vapor Density:0.6 Spec Gravity:1.4 pH:11.2 Solubility in Water:COMPLETE Appearance and Odor:LIQUID;COLORLESS;ODORLESS. Percent Volatiles by Volume:55-60

Stability Indicator/Materials to Avoid:YES STRONG ACIDS. Stability Condition to Avoid:STABLE. Hazardous Decomposition Products:NONE.

Wa

ste Disposal Methods:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED. DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO NA TIONAL, STATE OR LOCAL LAWS. NEUTRALIZE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.