

DEXTER HYSOL AEROSPACE INC DIV OF EXTER CORP -- EA 934 NA PART A -- 8040-00-016-8662
===== Product Identification =====

Product ID:EA 934 NA PART A

MSDS Date:05/01/1993

FSC:8040

NIIN:00-016-8662

Kit Part:Y

MSDS Number: BVFQD

=== Responsible Party ===

Company Name:DEXTER HYSOL AEROSPACE INC DIV OF EXTER CORP

Address:2850 WILLOW PASS ROAD

Box:312

City:PITTSBURG

State:CA

ZIP:94565-3237

Country:US

In

fo Phone Num:510-458-8000

Emergency Phone Num:510-458-8000

CAGE:33564

=== Contractor Identification ===

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY POLYMER

Fraction by Wt: 40-70%

Other REC Limits:NONE RECOMMENDED

Ingred Name:4-GLYCIDYLOXY-N,N-DIGLYCIDYLANILINE

CAS:5026-74-4

Fr

action by Wt: 15-40%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALUMINUM (SARA III)
CAS:7429-90-5
RTECS #:BD0330000
Fraction by Wt: 10-30%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15MG/M3 DUST/5 FUME
ACGIH TLV:10MG/M3 DUST; 9394

Ingred Name:SILICA, AMORPHOUS, PRECIPITATED AND GEL
CAS:112926-00-8
RTECS #:VV8850000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:20 MPPCF; Z-3
ACGIH TLV:10 MG/M3 TDUST; 9394

=====
===== Hazards Identification =====

=

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IMMEDIATE CONTACT MAY IRRITATE THE
SKIN OR CAUSE A RASH. RESPEATED OR PROLONGED SKIN CONTACT MAY
RESULT IN ALLERGIC SENSITIZATION.
Explanation of Carcinogenicity:NEITHER THIS MATERIAL NOR ANY OF ITS
COMPONENTS IS CONSIDERED A CARCINOGEN.
Effects of Overexposure:SKIN RASH, IRRITATION.
Medical Cond Aggravated by Exposure:SKIN SENSITIZATION.

=

=====
===== First Aid Measures =====

First Aid:EYES-FLUSH EYES WITH WATER FOR 15 MINUTES. IF IRRITATION
PERSISTS, GET MEDICAL ATTENTION. SKIN-WASH SKIN THOROUGHLY WITH
SOAP & WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.
INHALATION-REMOVE VICTIM TO FRESH AIR. IF SYMPTOMS PERSISTS, GET
MEDICAL ATTENTION. INGESTION-DRINK PLENTY OF WATER. GET MEDICAL
ATTENTION IMMEDIATELY.

=====
===== Fire Fighting Measures =====

===

Flash Point:NOT TESTED

Extinguishing Media:DRY CHEMICAL, OR HALON FIRE EXTINGUISHER, OR WATER SPRAY, FOAM OR FOG.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING, SUCH AS TURN-OUT GEAR. CARTRIDGE RESPIRATORS DO NOT PROVIDE ADEQUATE PROTECTION.

Unusual Fire/Explosion Hazard:MAY LIBERATE LARGE QUANTITIES OF DENSE FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.

===== Accidental Release Measures =====
=====

Spill Release Procedures:WEAR PROTECTIVE CLOTHING, GLOVES AND SAFETY GLASSES. SCRAPE UP OR SHOVEL INTO DOT APPROVED WASTE CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions:REFRIGERATE STORAGE IS RECOMMENDED TO MAINTAIN PRODUCT QUALITY. THIS PRODUCT MAY BE STORED AT 40 DEG. F FOR UP TO 12 MONTHS.

Other Precautions:FOLLOW CURING SCHEDULE AS RECOMMENDED IN PRODUCT LITERATURE. SEE ALSO REACTIVITY SECTION. DO NOT CUT, GRIND, WELD OR DRILL ON OR NEAR THIS CONTAINER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:UNNECESSARY WITH ADEQUATE EXHAUST VENTILATION.

Ventilation:LOCAL EXHAUST VENTILATION AT THE POINT OF USE.

Protective Gloves:WEAR BUTYL RUBBER, PVC OR NITRILE

Eye Protection:EAR SAFETY GLASSES WITH SIDE SHIELD.

Other Protective Equipment:AN EYE WASH AND SAFETY SHOWER SHOULD BE NEARBY AND READY FOR USE.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health NOT REGULATED.

===== Physical/Chemical Properties =====

HCC:V7

Decomp Temp:Decomp Text:NOT TESTED

Vapor Pres:NIL

Vapor Density:>1

Spec Gravity:1.59

Viscosity:5000-9000 P

Solubility in Water:NEGLIGIBLE

Appearance and Odor:VISCOUS GRAY PASTE WITH SLIGHT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL A

CIDS.

Stability Condition to Avoid:DO NOT HEAT MIXED RESIN ABOVE 125 DEG. F
UNLESS CURING SURFACES TO BE BONDED.

Hazardous Decomposition Products:CARBON MONOXIDE, OXIDES OF NITROGEN,
ALDEHYDES, ACIDS AND UNDETERMINED ORGANICS.

Conditions to Avoid Polymerization:AVOID MIXING RESIN AND CURING AGENTS
IN BATCHES GREATER THAN 1 POUND UNLESS YOU PLAN TO USE IMMEDIATELY.

===== Disposal Considerations =====

Waste Disposal Methods:THIS MATERIAL, AS A WASTE, I
S NOT CONSIDERED A
RCRA HAZARDOUS WASTE. HOWEVER, INCINERATION IN AN EPA-APPROVED
WASTE INCINERATOR IS A PREFERRED DISPOSAL PRACTICE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document shou
ld seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.