

BELL FUELS INC -- NO.5 FUEL OIL -- 9140-01-058-4431

===== Product Identification =====

Product ID:NO.5 FUEL OIL

MSDS Date:03/12/1990

FSC:9140

NIIN:01-058-4431

MSDS Number: BVGNR

=== Responsible Party ===

Company Name:BELL FUELS INC

Address:4116 W PETERSON AVE

City:CHICAGO

State:IL

ZIP:60646-6017

Country:US

Info Phone Num:312-286-0200

Emergency Phone Num:312-286-0200

CAGE:8P539

=== Contractor Iden

tification ===

Company Name:BELL FUELS INC

Address:4116 W PETERSON AVE

Box:City:CHICAGO

State:IL

ZIP:60646-6017

Country:US

Phone:312-286-0200

CAGE:8P539

===== Composition/Information on Ingredients =====

Ingred Name:MFG. MADE NO STATEMENT FOR INGREDIENTS OR IDENTITY
INFORMATION IN THIS MSDS.

RTECS #:9999999ZZ

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Rep

orts of Carcinogenicity:NTP:UNKNOWN IARC:UNKNOWN OSHA:NO
Health Hazards Acute and Chronic:EYES: CAN CAUSE SEVERE IRRITATION,
REDNESS, BLURRED VISION. SKIN: PROLONGED OR REPEATED CONTACT CAN
CAUSE MODERATE IRRITATION, DEFATTING, DERMATITIS. INHALATION:
EXCESSIVE INHALATION CAN CAUSE NASAL AND RESPIRATORY IRRITATION,
DIZZINESS, WEAKNESS, NAUSEA, UNCONSCIOUSNESS. INGESTION: MAY CAUSE
NAUSEA, VOMITING.

Effects of Overexposure:WEAKNESS, NAUSEA, VOMITING, INCOORDINATION,
UNCONSCIOUSNESS, DEATH.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE: FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR 15 MINUTES
WHILE LIFTING EYELIDS. GET MEDICAL ATTENTION. SKIN: REMOVE
CONTAMINATED CLOTHING. WASH SKIN WITH SOAP AND WATER. GET MEDICAL
ATTENTION. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE
ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION. INGESTION: DO
NOT
INDUCE VOMITING. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS. GET
MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:140F,60C

Extinguishing Media:DRY CHEMICAL, REGULAR FOAM, CARBON DIOXIDE

Fire Fighting Procedures:USE SELF CONTAINED BREATHING EQUIPMENT WITH
FULL FACE PIECE. WATER OR FOAM MAY CAUSE FROTHING WHICH CAN BE
VIOLENT AND POSSIBLE ENDANGER THE LIFE OF FIREFIGHTER

Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY

TRAVEL ALONG THE GROUND OR BE MOVED BY VENTILATION AND IGNITED BY
HEAT, PILOT LIGHTS, OR OTHER FLAMES AND IGNITION SOURCES.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILLS: ABSORB LIQUID ON PAPER,
VERMICULITE, FLOOR ABSORBENT OR OTHER ABSORBENT MATERIAL AND
TRANSFER TO HOOD. LARGE SPILL: ELIMINATE ALL IGNITION SOURCES. STOP
SPILL AT SOURCE, DIKE AREA OF SPILL TO PREVENT SPREAD, PUMP LIQUID
TO SALVAGE.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTIED, SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUES.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR.

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:RESIST

ANT GLOVES SUCH AS NITRILE.

Eye Protection:SPLASH GOGGLES

Other Protective Equipment:APPROPRIATE IMPERVIOUS CLOTHING AND EQUIPMENT TO PREVENT REPEATED OR PROLONGED SKIN CONTACT WITH THIS SUBSTANCE.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

NONE

=====
===== Physical/Chemical Properties =====

HCC:F4

Vapor Density:>1

Evaporation Rate

& Reference:SLOWER THAN ETHER

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:MAY BE IGNITED BY HEAT, SPARKS OR FLAME.

VAPORS MAY TRAVEL TO SOURCE OF IGNITION AND FLASH BACK; VAPOR EXPLOSION HAZARD.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

=====
===== Disposal Considerations =====

=====

Waste Disposal Methods:ALLOW VOLITILE PORTION TO EVAPORATE IN HOOD.
ALLOW SUFFICIENT TIME FOR VAPORS TO COMPLETELY CLEAR HOOD. DISPOSE
OF IN ACCORDANCE WITH APPLICIABLE REGULATIONS. LARGE SPILLS:
DESTROY BY LIQUID INCINERATI ON IN ACCORDANCE WITH APPLICIABLE
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no mann
er whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.