View NSN Online: https://aerobasegroup.de/nsn/6840-00-300-6373

## HOMMOUNDS FUEL ADDITIVES INC -- BIOBOR JF -- 6840-00-300-6373

Product ID: BIOBOR JF MSDS Date:05/01/1995 FSC:6840 NIIN:00-300-6373 **MSDS Number: BVHCY** === Responsible Party === Company Name: HOMMOUNDS FUEL ADDITIVES INC Address:15760 W. HARDY, SUITE 400 **City:HOUSTON** State:TX ZIP:77060-3147 Country:US Info Phone Num:713-820-5674 Emergency Phone Num:713-820-5674/800-4 24-9300(CHEMTREC) Preparer's Name: WALTER P. CHARTRAND CAGE:LO246 === Contractor Identification === Company Name: HAMMONDS FUEL ADDITIVES Box:City:HOUSTON State:TX ZIP:77238 Country:US CAGE:0U7J1 Company Name: HOMMOUNDS FUEL ADDITIVES INC Address:15760 W. HARDY, SUITE 400 Box:38114-City:HOUSTON State:TX ZIP:77060-3147 Country:US Phone:713-820-5674 CAGE:LO246

Ingred Name:HYDROTREATED HEAVY NAPHTHA CAS:64742-48-9 Fraction by Wt: 4.5% Other REC Limits:NONE RECOMMENDED

Ingred Name:2,2'-(1-METHYLTRIMETHYLENEDIOXY)BIS-(4-METHYL-1,3,2-DIOXABORIN ANE) CAS:8063-89-6 Fraction by Wt: 67.6% Other REC Limits:NONE RECOMMENDED

Ingred Name:2,2'OXYBIS(4,4,6-TRIMETHYL-1,3,2-DIOXABORINANE) CAS:8063-89-6 Fraction by Wt: 27.4% Other REC Limits:NONE RECOMMENDED

Ingred Name:INERT INGREDIENTS Fraction by Wt: 0.5% Other REC Limits:NONE RECOMMENDED

Ingred Name:INGREDIENTS 2 & 3 CAS # IS THE SAME, AS GIVEN BY THE MFR. THE CAS # IS A GENERIC FOR THE FAMILY "MIXED DIOXABORINANES" Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 3011 MG/KG. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYE, SKIN, RESPIRATORY TRACT. ACUTE- EYE:SLIGHT TO MODERATE IRRITATION. SKIN: PROLONGED/REPEATED CONTACT MAY CAUSE DEFATTING, IRRITA TION. INHALE:CAN CAUSE DIZZINESS AND NAUSEA. ORAL:MAY B E HARMFUL. CHRONIC- MAY CAUSE DIZZINESS, NAUSEA, SKIN ERYTHEMA, TRANSIENT CONJUNCTIVAL BLISTERING. Explanation of Carcinogenicity:NONE Effects of Overexposure: IRRITATION, DIZZINESS, NAUSEA, VOMITING, HEADACHE, WEAKNESS, ABDOMINAL DISCOMFORT, DRYNESS OF SKIN, ABDOMINAL PAIN Medical Cond Aggravated by Exposure: INDIVIDUALS WITH PRE-EXISTING DISEASES OF THE EYE, SKIN, RESPIRATORY TRACT MAY HAVE INCREASED **SUSCEPTIBILI** 

## TY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT IN DUCE VOMITING. IF CONSCIOUS, DRINK 2-3 GLASSES OF MILK OR WATER. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INT

O THE LUNGS. GET IMMEDIATE MEDICAL ATTENTION.

Flash Point Method:TCC
Flash Point:102F,39C
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, SAND, FOAM, DRY CHEMICAL OR ANY CLASS B EXTINGUISHING AGENT.
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. EQUIPMENT SHOULD BE THOROUGHLY DECONTAMINATED AFTER USE.
Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. CONTAIN SPILL. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND, EARTH. TRANSFER TO A SUITABLE CONTAINER FOR DISPOSAL. PREVENT LIQUID FROM ENTERING SEWERS OR WATERWAYS.

Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions: STORE IN COOL,

VENTILATED AREA AWAY

FROM SOURCES OF IGNITION & WATER. KEEP OUT OF REACH OF CHILDREN. Other Precautions: EMPTY CONTAINERS MAY RETAIN RESIDUE. FOLLOW ALL PRECAUTIONS. DO NOT GET IN EYES. DO NOT BREATHE VAPOR OR MIST. AVOID PROLONGED OR REPEATED SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATIN G OR DRINKING.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: IF WORKING IN CONFINED AREAS, IF EXCESSIVE MISTING IS EXPECTED OR

IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOSH-APPROVED RESPIRATORY PROTECTION FOR ORGANIC V APORS (REFER TO 29 CFR 1910.134). Ventilation: MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves: NEOPRENE IF REPEATED CONTACT POSSIBLE Eye Protection: CHEMICAL SAFETY GOGGLES Other Protective Equipment: EYE WASH STATION, SAFETY SHOWER, INDUSTRIAL-TYPE WORK CLOTHING, APRON Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health FUEL ADDITIVE THAT COMBATS FUNGUS AND OTHER MICROBIAL LIFE IN HYDROCARBON FUELS. INGREDIENTS NOTE: CAS # FOR INGREDIENTS 2 & 3 IS THE SAME BECAUSE CAS # IS FOR THE SAME GENERIC CHEMICAL FAMILY (AS GIV EN BY MFR); FAMILY IS MIXED DIOXABORINANES. HCC:F4 NRC/State Lic Num:NOT RELEVANT **Boiling Pt** :B.P. Text:529F,276C Vapor Density:>1 Spec Gravity:1.05 Solubility in Water:NONE Appearance and Odor:YELLOW LIQUID, AROMATIC ODOR Stability Indicator/Materials to Avoid:YES

WATER Stability Condition to Avoid:HEAT, SPARKS, FLAMES AND OTHER SOURCES OF IGNITION Hazardous Decomposition Products:NONE

Waste Disposal Methods: DISPOSAL SHOULD BE IN ACCORDANCE WIT

## H ALL LOCAL,

## STATE AND FEDERAL REGULATIONS. DO NOT CONTAMINATE WATER, FOOD OR FEED. INCINERATION RECOMMENDED.

\_\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for it

s use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.