View NSN Online: https://aerobasegroup.de/nsn/6665-01-153-8828

NATIONAL DRAEGER INC -- CH3001-1;TEST FOR NO*2 -- 6665-01-153-8828

Product ID:CH3001-1;TEST FOR NO*2

MSDS Date:10/24/1994

FSC:6665

NIIN:01-153-8828

MSDS Number: BVHHP === Responsible Party ===

Company Name: NATIONAL DRAEGER INC

Address:101 TECHNOLOGY DRIVE

City:PITTSBURGH

State:PA ZIP:15275 Country:US

Info Phone Num:412-787-8383 OR 412-787-8389

Emergency Phone Num

:412-787-8383 OR 412-787-8389

Preparer's Name: DGSC-SHH/HMIS(LEVIEN)

CAGE:53833

=== Contractor Identification ===

Company Name: NATIONAL DRAEGER INC

Address:101 TECHNOLOGY DRIVE

Box:City:PITTSBURGH

State:PA ZIP:15372 Country:US

Phone:412-787-8383 OR 412-787-8389

CAGE:53833

======= Composition/Information on Ingredients ========

Ingred Name: IODINE PENTOXIDE

CAS:12029-98-0

Other REC Limits: NONE RECOMMENDED

Ingred Name: SELENIUM DIOXIDE (SARA III)

CAS:7446-08-4

RTECS #:VS8575000

Other

REC Limits: NONE RECOMMENDED OSHA PEL:0.2 MG(SE)/M3 ACGIH TLV:0.2 MG(SE)/M3; 9394 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS Ingred Name: SULFURIC ACID (SARA III) CAS:7664-93-9 RTECS #:WS5600000 Other REC Limits: NONE RECOMMENDED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9394 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ARTICLE.THE HAZARDOUS INGREDIENT IS SULFURIC ACID, ADSORBED ONTO THE BEADS INSIDE OF THE GLASS TUBE.EYES:MAY CAUSE IRRITATION OR BURNS.SKIN:MAY CAUSE IRRITATION OR BURNS.INHAL:MAY CAUSE RESPIRATORY IRR ITATION.INGEST:MAY CAUSE GI TRACT IRRITATION. Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA. Effects of Overexposure:BURNS OR IRRITATION. Medical Cond Aggravated by Exposure: UNLIKELY T O AGGRIVATE EXISTING CONDITIONS. First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION. ============= Fire Fighting Measures ========================

Flash Point:NONE

Extinguishing Media: USE MEDIA APPROPRIATE

FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE ======== Accidental Release Measures ============ Spill Release Procedures: SWEEP OR VACUUM SOLIDS; PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL. Neutralizing Agent: SODIUM CARBONATE/SODIUM BISULFITE ============ Handling and Storage =========================== Handling and Storage Precautions: STORE IN A COOL DRY, WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.AVOID PHYSICAL DAMAGE TO THE TUBE. Other Precautions: DO NOT TOUCH THE BEADS. ===== Exposure Controls/Personal Protection ========= Respiratory Protection: NOT NEEDED IN NORMAL SERVICE. Ventilation: NOT NEEDED IN NORMAL SERVICE. Protective Gloves: CHEMICALLY RESISTANT Eye Protection: SAFETY GLASSES Other Protective Equipment: NONE Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS PRODUCT. Supplemental S afety and Health MSDS PREPARED BY SHH USING DRAEGER DISPOSAL DATA. ========= Physical/Chemical Properties ============ HCC:N1 Appearance and Odor: GLASS TUBE FILLED WITH SMALL BEADS ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES NONE IN NORMAL SERVICE. Stability Condition to Avoid: NONE IN NORMAL SERVICE. AVOID PHYSICAL DAMAGE TO TUBE. ======= Disposal Considerations ============ Waste

Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND

FOR SURROUNDING FIRE.

Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and a

ssume responsibility for the suitability of this information to their particular situation.