View NSN Online: https://aerobasegroup.de/nsn/6750-01-304-2888

EASTMAN KODAK COMPANY -- 844 6163 T-MAX RS DEVELOPER AND REPLENISHER, WORKING SOLN -- 6750-01-304-2888

Product ID:844 6163 T-MAX RS DEVELOPER AND REPLENISHER, WORKING SOLN

MSDS Date:04/27/1994

FSC:6750

NIIN:01-304-2888

MSDS Number: BVHLS === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country

:US

Info Phone Num:716-722-5151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name: DIETHANOLAMINE-SULFUR DIOXIDE COMPLEX

CAS:63149-47-3

Fraction by Wt: 10-20% %

Other REC Limits: NONE RECOMMENDED

Ingred Name:WAT

ER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 80-90% %

Other REC Limits: NONE RECOMMENDED

Ingred Name: HYDROQUINONE (SARA III)

CAS:123-31-9

RTECS #:MX3500000 Fraction by Wt: 1-5% %

Other REC Limits: NONE RECOMMENDED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9394

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: SODIUM BISULFITE (SARA III)

CAS:7631-90-5

RTECS #:VZ2000000 Fraction by Wt: < 1% %

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9394

EPA Rpt Qty:5000 LBS

DOT Rpt Qty: 5000 LBS

Ingred Name: DIETHYLENE GLYCOL

CAS:111-46-6

RTECS #:ID5950000 Fraction by Wt: < 1%

Other REC Limits: NONE RECOMMENDED

========== Hazards Identification ===========================

LD50 LC50 Mixture:ORAL LD-50 (RAT): 20.76 G/KG Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EXPECTED TO BE A LOW INHALATION HAZARD FOR RECOMMENDED HANDLING. CAUSES EYE IRRITATION. CAUSES SKIN

IRRITATI

- ON. MAY CAUSE ALLERGIC SKIN REACTION. EXPECTED TO BE A LOW INGESTION HAZARD.
- Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.
- Effects of Overexposure: EYE IRRITATION, SKIN IRRITATION, ALLERGIC SKIN REACTION.
- Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: INHALATION: IF SYMPTOMATIC , MOVE TO FRESH AIR. GET MEDICAL

ATTENTION IF SYMPTOMS PERSIST. EYES: WASH OUT IMMEDIATELY WITH WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN: IMMEDIATELY REMOVE CONTA MINATED CLOTHING AND WASH WITH SOAP ANDPLENTY OF WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.

============ Fire Fighting Measures =========================

Flash Point: NONFLAMMABLE Lower Limits: NOT GIVEN **Upper Limits:NOT GIVEN**

inguishing Media: WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM

Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE.

Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

======== Accidental Release Measures ============

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER IF ALLOWABLE, OTHERWISE, ABSORB SPI

LL WITH VERMICULITE OR OTHER INERT

MATERIAL, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REM OVE RESIDUAL CONTAMINATION.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

========== Handling and Storage ===============

Handling and Storage Precautions: AVOID CONTACT WITH EYES, SKIN AND CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINER CLOSED WHEN NOT USING.

Other Precautions: LAUNDER CONTAMIN

OR THOROUGHLY CLEAN CONTAMINATED SHOES. THE REGULAR USE OF A NONALKALINE TYPE OF HAND CLEANER WILL HELP MINIMIZE THE POSSIBILITY OF A SKIN REACTION.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NOT NORMALLY REQUIRED. Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR) SHOULD BE USED. RATES SHOULD MATCH CONDITIONS. Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES OR G OGGLES
Other Protective Equipment:WASHING FACILITIES, AN EMERGENCY EYE WASH STATION AND SHOWER SHOULD BE AVAILABLE. Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING. Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.
========= Physical/Chemical Properties =========
HCC:T6 Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:18 Vapor Density:0.6 Spec Gravity:1.04 pH: 8.6
Evaporation Rate & Description R
Appearance and Odor:COLORLESS LIQUID, AMINE ODOR Percent Volatiles by Volume:80-90%
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.
======== Disposal Considerations ===========
Waste

Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liab

ility for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.