

COURTAULDS AEROSPACE INC -- PR1428 B-1/2, 1428B10 BASE COMPOUND,POLYSULFIDE RUBBER CMPD -- 8030-00-152-0022

===== Product Identification =====

Product ID:PR1428 B-1/2, 1428B10 BASE COMPOUND,POLYSULFIDE RUBBER CMPD

MSDS Date:01/05/1994

FSC:8030

NIIN:00-152-0022

Kit Part:Y

MSDS Number: BVMYW

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City

:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-424-9300(CHEMTREC)800-228-5635

Preparer's Name:SEROJE HARTOONIANI

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

R

TECS #:XR2275000
Fraction by Wt: 5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)
CAS:1317-65-3
RTECS #:EV9580000
Fraction by Wt: 25%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:POLYSULFIDE POLYMER
CAS:68611-50-7
Other REC Limits:NONE RECOMMENDED

Ingred Name:BARIUM COMPOUND
CAS:1103-38-4
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC: 0 G/L
(PART A AND B COMBINED)
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED

==== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE/SKIN:TEMPORARY DISCOMFORT.
INHAL/INGEST:NOT KNOWN.
Effects of Overexposure:EYE/SKIN TEMPORARY DISCOMFORT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

==== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER.SYMPTOMS PERSIST CONSULT
PHYSICIAN.SKIN:WASH W/SOAP/WATER.SYMPTOMS PERSIST CONSULT
PHYSICIAN.INHAL:REMOVE TO FRESH AIR.SYMPTOMS ARE PRESENT CONSULT
PHYSICIAN.INGEST:DRINK LARGE AMT O F WATER.INDUCE VOMIT.CONSULT
PHYSICIAN.

==== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:217F,103C
Autoignition Temp:Autoi

Ignition Temp Text:NP

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM,WATER SPRAY.

Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN UP RESIDUE
W/SUITABLE SOLVENT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE.

Other

Precautions:TITANIUM DIOXIDE & CALCIUM CARBONATE LIMESTONE FULLY
ENCAPSULATED FORM,NOT HAZ TO USERS UNDER NORM CIRCUMSTANCES.CURED
PROD SAND/GROUND SO AS TO RELEASE RESPIRABLE PARTICELS-SUITABLE
RESP PROT SHOULD BE USED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE.

Ventilation:GENERAL VENTILATION.

Protective Gloves:RUBBER OR PLASTIC GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE.

Work Hygienic Practices:

NONE SPECIFIED BY MANUFACTURER. HMIS:WASH HANDS
AFT HNDLG/BEF EATING/SMOKING.

Supplemental Safety and Health

2-PART KIT,PNIND:D ACCELERATOR, KEY=N1.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:350F,177C

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pres:NP

Vapor Density:>AIR

Spec Gravity:1.54

pH:NP

Viscosity:NP

Evaporation Rate & Reference:UNAVAILABLE.

Solubility in Water:NP

Appearance and Odor:REDISH THIXOTROPIC PA

STE.
Percent Volatiles by Volume:0
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NITRIC ACID.
Stability Condition to Avoid:NOT KNOWN.
Hazardous Decomposition Products:OXIDES OF CARBON SULFUR DIOXIDE,
TRACES OF HYDROGEN SULFIDE.

===== Disposal Considerations =====

Waste Disposal Methods:NOT HAZ WASTE ACCORDING TO EPA REGS.CONSULT
STATE REGS PRIOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.