View NSN Online: https://aerobasegroup.de/nsn/6850-01-268-6719

CHEM-TREND INC -- PENETRANT REMOVER H91A -- 6850-01-268-6719

Product ID:PENETRANT REMOVER H91A

MSDS Date:02/02/1994

FSC:6850

NIIN:01-268-6719

MSDS Number: BVQDR === Responsible Party ===

Company Name: CHEM-TREND INC

Address:1445 W. MCPHERSON PARK DR

Box:860 City:HOWELL

State:MI

ZIP:48844-0860

Country:US

Info Phone Num:800-727-7730

Emergency Phone Num:800-727-7730

Preparer's Name:JLG

CAGE:2W738

=== Contractor Identification ===
Company Name:CHEM-TREND INC

Address:1445 W. MCPHERSON PARK DR

Box:860 City:HOWELL

State:MI ZIP:48844-0860

Country:US

Phone:800-727-7730

CAGE:2W738

Company Name: DUNN R G ASSOCIATES INC

Address:15104 LEE RD SUITE 203-B

Box:City:HUMBLE

State:TX

ZIP:77396-2078 Country:US

Phone:281-441-2001/FAX: 281-441-7772

CAGE:0A272

====== Composition/Information on Ingredients ========

Ingred Name:DIETHYLENE GLYCOL MONOBUTYL ETHER

CA

S:112-34-5 RTECS #:KJ9100000 Fraction by Wt: 45-55%

Other REC Limits: NONE RECOMMENDED

Ingred Name: NONIONIC SURFACTANTS

Fraction by Wt: 45-55%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SUBSTITUTED IMIDAZOLINE

Fraction by Wt: 212F,>100C

Lower Limits:0.9 Upper Limits:24.6

Extinguishing Media: USE CARBON DIXOIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: FIREFIGHTERS SHOULD WEAR FULL PROTECTIVE CLOTHING INCLUDING POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS IN CONFINED SPACES

Unusual Fire/Explosion Hazard: NONE KNOWN.

=========== Accidental Release Measures ================

Spill Release Procedures: SOAK UP WITH ABSORBENT MATERIAL AND PLACE IN A CONTAINER FOR LATER DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

============ Handling and Storage ===========================

Handling and Storage Precautions: KEEP DRUMS & CONTAINERS OF PRODUCT CLOSED HEN NOT IN USE. DO NOT HANDLE OR STORE NEAR HEAT OR FLAMES. DO NOT ADD ANY O

THER ADDITIVE INGREDIENTS.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR OR SUPPLIED AIR RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134 AND MANUFACTURER'S RECO MMENDATIONS.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST.

Protective Gloves: NEOPRENE, PVA, NBR N

ITRILE
Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES
Other Protective Equipment: APPROPRIATE CLOTHING TO PREVENT SKIN
CONTACT. DLA-HMIS: EYE WASH STATION & SAFETY SHOWER.
Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.
Supplemental Safety and Health
ENVIRONMENTAL NOTES: SARA 302:NO; SARA 311:YES, IMMEDIATE (ACUTE),
DELAYED (CHRONIC). MSDS OFFERED BY CAGE 0A272 FOR CONTRACT NUMBER
SP0450-95-M80
84.
======== Physical/Chemical Properties ==========

HCC:N1
Boiling Pt:B.P. Text:>446F,>230C
Vapor Pres:1
Vapor Density:>1
Spec Gravity:0.98
Evaporation Rate & E