

ASHLAND CHEMICAL CO DIV OF ASHLAND OIL INC -- FORMALDHYDE (FORMALIN) 10% --  
6550-01-276-4598

===== Product Identification =====

Product ID: FORMALDHYDE (FORMALIN) 10%

MSDS Date: 10/28/1991

FSC: 6550

NIIN: 01-276-4598

MSDS Number: BVQDT

=== Responsible Party ===

Company Name: ASHLAND CHEMICAL CO DIV OF ASHLAND OIL INC

Address: 3849 FISHER RD

Box: 2219

City: COLUMBUS

State: OH

ZIP: 43228

Country: US

Info Phone

Num: 614-790-3333

Emergency Phone Num: 800-274-5263

CAGE: 7L600

=== Contractor Identification ===

Company Name: ASHLAND CHEMICAL CO DIV OF ASHLAND OIL INC

Address: 3849 FISHER RD

Box: 2219

City: COLUMBUS

State: OH

ZIP: 43216

Country: US

Phone: 614-790-3333 / 800-325-3751

CAGE: 7L600

===== Composition/Information on Ingredients =====

Ingred Name: FORMALDEHYDE (SARA III)

CAS: 50-00-0

RTECS #: LP8925000

Fraction by Wt: 3.5-3.9%

Other REC Limits: NONE RECOMMENDED

OSHA PEL: SEE 1910.1048

ACGIH T

LV:C 0.3 PPM; A2; 9394  
EPA Rpt Qty:100 LBS  
DOT Rpt Qty:100 LBS

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)  
CAS:67-56-1  
RTECS #:PC1400000  
Fraction by Wt: 1-2%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:S,200PPM  
ACGIH TLV:S,200PPM/250STEL; 94  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM PHOSPHATE, DIBASIC (SARA III)  
CAS:7558-79-4  
RTECS #:WC4500000  
Fraction by Wt: 6.5% GRL  
Other REC Limits:NONE RECOMMENDED  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM PHOSPH  
ATE, MONOBASIC  
CAS:7558-80-7  
RTECS #:WA1900000  
Fraction by Wt: 4% GR/L  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:STRONGLY IRRITATING TO SKIN, EYES,  
RESPIRATORY TRACT AND MUCOSAL MEMBRANES. POISONESS. MAY CAUSE  
ALLERGIC REACTIONS. MAY CAUSE PERMANENT EYE DAMAGE.  
Explanation of Carc  
inogenicity:CONTAINS F [50-00-0] WHICH IS  
LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN.  
Effects of Overexposure:INGESTION CAUSES SEVERE GASTROINTESTINAL  
SYMPTOMS. POISON.  
Medical Cond Aggravated by Exposure:RESPIRATORY AILMENTS, SKIN  
CONDITIONS, EYE CONDITIONS.

===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR IF OVERCOME BY BUMES AND BEGIN  
RESUCITATION IF NOT BREATHING. INDUCE VOMITTING IF INGESTED, WASH

ALL CONTAMINATED AREAS, SEEK MEDICAL HELP.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:155F,68C

Extinguishing Media:FOAM, WATER FOG, CARBON DIOXIDE, OR DRY CHEMICAL.

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE.

Unusual Fire/Explosion Hazard:FORMS HAZARDOUS FUMES, CARBON MONOXIDE, CARBON DIOXIDE.

===== Accidental Release Measures =====

Spill Release Procedure:

ALLERT PERSONAL, ABSORB IN ABSORBENT MATERIAL, PLACE IN FUME TIGHT CONTAINER. PREVENT RUNOFF TO WATERWAYS OR SWERS. NOTIFY AUTHORITIES OF A SPILL.

===== Handling and Storage =====

Handling and Storage Precautions:WEAR PROTECTIVE CLOTHING, GLOVES AND MASK DESIGNED FOR FORMALDEHYDE. USE ONLY IN WELL VENTILATED AREA. MONITOR EXPOSURE TO MATERIAL.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:

FULL FACE SELF-CONTAINED BREATHING APPARATUS.

Ventilation:LOCAL EXHAUST-MUST COMPLY WITH REGULATIONS.

Protective Gloves:YES, MADE OF MATERIAL RESISTANT.

Eye Protection:FULL FACE SHIELD

Other Protective Equipment:MATERIALS RESISTANT TO PRODUCT.

Work Hygienic Practices:USE CAUTION WHEN HANDLING. MONITOR EXPOSURE TO MATERIAL.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:214F,101C

Vapor P

res:1.3  
Vapor Density:1.0  
Spec Gravity:1.10  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Solubility in Water:COMPLETE  
Appearance and Odor:CLEAR LIQUID WITH STRONG PUNGENT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ALKALIS, STRONG ACIDS.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE.

===== Disposal Considerations  
=====

Waste Disposal Methods:CONSULT LOCAL, STATE AND FEDERAL AUTHORITIES FOR  
PROPER DISPOSAL METHODS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent  
professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.