

DEXTER ADHESIVES & STRUCTURAL -- AA9109 EA 9321

=====
MSDS Safety Information
=====

FSC: 8040

NIIN: 01-193-6717

MSDS Date: 06/01/1992

MSDS Num: BVTMW

Product ID: AA9109 EA 9321

MFN: 03

Responsible Party

Cage: 33564

Name: DEXTER ADHESIVES & STRUCTURAL MATERIALS

Address: 2850 WILLOW PASS RD

Box: 312

City: PITTSBURG CA 94565-3299

Info Phone Number: 510-458-8000

Emergency Phone Number: 510-458-8000

Proprietary Ind: Y

Review Ind: Y

Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 33564

Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address: 2850 WILLOW PASS ROAD

Box: 312

City: BAY POINT CA 94565-3299

=====
Contractor Summary
=====

Cage: 33564

Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address: 2850 WILLOW PASS ROAD

Box: 312

City: BAY POINT CA 94565-3299

Phone: 202-483-7616

=====
Item Description Information
=====

Item Manager: GSA

Item Name: ADHESIVE

Unit of Issue: KT

UI Container Qty: 0
=====

=====

Ingredients

=====

Name: *** PROPRIETARY ***

=====

Health Hazards Data

=====

LD50 LC50 Mixture: ORAL LD50(RAT): 1,000 MG/KG (SEE SUPP)

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: BRIEF CONTACT MAY IRRITATE THE SKIN/CAUSE A RASH.

REPEATED/PROLONGED SKIN CONTACT MAY RESULT IN ALLERGIC SENSITIZATION.

Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: BRIEF CONTACT MAY IRRITATE THE SKIN/CAUSE A RASH. REPEATED/PROLONGED SKIN CONTACT MAY RESULT IN ALLERGIC SENSITIZATION.

Medical Cond Aggravated By Exposure: SKIN SENSITIZATION.

First Aid: EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH THOROUGHLY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DRINK PLENTY OF WATER.

OBTAIN MEDI

CAL ATTENTION IN ALL CASES.

=====

Handling and Disposal

=====

Spill Release Procedures: WEAR PROTECTIVE CLOTHING, GLOVES & SAFETY GLASSES. SCRAPE UP/SHOVEL INTO DOT APPROVED WASTE CONTAINERS.

Waste Disposal Methods: INCINERATION IN AN EPA APPROVED WASTE INCINERATOR IS A PREFERRED DISPOSAL PRACTICE. CONSULT & DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Handling

And Storage Precautions: REFRIGERATED STORAGE IS RECOMMENDED TO MAINTAIN PRODUCT QUALITY. STORE AT 0F FOR UP TO 12 MONTHS.

Other Precautions: DON'T CUT, GRIND, WELD/DRILL ON/NEAR THIS CONTAINER. AVOID CONTACT.

=====

Fire and Explosion Hazard Information

=====

Extinguishing Media: DRY CHEMICAL, HALON FIRE EXTINGUISHER/WATER SPRAY, FOAM/FOG.

Fire Fighting Procedures: WEAR SELF CONTAINED BREAT

HING APPARATUS & FULL

PROTECTIVE CLOTHING, SUCH AS TURN OUT GEAR. CARTRIDGE RESPIRATORS DON'T PROVIDE ADEQUATE PROTECTION.

Unusual Fire/Explosion Hazard: MAY LIBERATE LARGE QUANTITIES OF DENSE FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.

=====
Control Measures
=====

Respiratory Protection: UNNECESSARY W/ADEQUATE EXHAUST VENTILATION.

Ventilation: LOCAL EXHAUST AT POINT OF USE.

Protective Gloves: BUTYL RUBBER, POLYVINYL CHLORINE

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment: CHEMICAL GOGGLES, NITRILE RUBBER GLOVES, EYEWASH & SAFETY SHOWER

Work Hygienic Practices: WASH AFTER HANDLING.

Supplemental Safety and Health: INFORMATION IS FOR LD50: 4-GLYCIDYLOXY-N, N-DIGLYCIDYL- ANILINE.

=====
Physical/Chemical Properties
=====

Vapor Pres:

0

Vapor Density: >1

Spec Gravity: 1.3

Solubility in Water: NEGLIGIBLE

Appearance and Odor: VISCOUS GRAY PASTE W/SLIGHT ODOR.

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: HEATING >125F

Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG LEWIS/MINERAL ACIDS

Hazardous Decomposition Products: CO, NITROGEN OXIDES, ALDEHYDES, ACIDS & UNDETERMINED ORGANICS

Haz

ardous Polymerization Indicator: YES

Conditions To Avoid Polymerization: MIXING RESIN & CURING AGENT IN BATCHES >1LB. DON'T HEAT MIXED ADHESIVE >125F. MAY CAUSE EXCESSIVE HEAT BUILDUP, EXOTHERM

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

HAZCOM Label

=====

=====

Product ID: AA9109 EA 9321

Cage: 33564

Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Street: 2850 WILLOW PASS ROAD

PO Box: 312

City: BAY POINT CA

Zipcode: 94565-3299

Health Emergency Phone: 510-458-8000

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: BRIEF CONTACT MAY IRRITATE THE SKIN/CAUSE A RASH.
REPEATED/PROLONGED SKIN CONTACT MAY RESULT IN ALLERGIC SENSITIZATION.

B R I E F

CONTACT MAY IRRITATE THE SKIN/CAUSE A RASH. REPEATED/PROLONGED SKIN CONTACT
MAY RESULT IN ALLERGIC SENSITIZATION.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or via bility by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of simi

larity to a corresponding Department
of Defense or other government situation.