

BEVERLY MFG CO -- FAMOWOOD -- 8010-01-343-2468

=====
Product Identification
=====

Product ID:FAMOWOOD
MSDS Date:11/16/1987
FSC:8010
NIIN:01-343-2468
MSDS Number: BVVGW
=== Responsible Party ===
Company Name:BEVERLY MFG CO
Address:9118 S MAIN ST
Box:73233
City:LOS ANGELES
State:CA
ZIP:90003-3723
Country:US
Info Phone Num:213-755-8564 / FAX 213-418-8227
Emergency Phone Num:213-755-8564
Preparer's Name:TIM AYERS
CAGE:21766
=== Contractor Identification ===
Company Name:BEVERLY MFG CO
Address:9118 S MAIN ST
Box:City:LOS ANGELES
State:CA
ZIP:90003-3723
Country:US
Phone:213-755-8564
CAGE:21766

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM
ACGIH TLV:200 PPM/300STEL 9394
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACE

TONE (SARA III)
CAS:67-64-1
RTECS #:AL3150000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000PPM
ACGIH TLV:750PPM/1000STEL;9394
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:PARAFFINIC HYDROCARBONS
Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROCARBONS, AROMATIC
Other REC Limits:NONE RECOMMENDED

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM
ACGIH TLV:400 PPM/500STEL;9394

Ingred Name:NAPHTHALENIC HYDROCARBONS
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION.SKIN:MAY
CAUSE IRRITATION AND DEFATTING.INGEST:MAY CAUSE GI TRACT IRRITATION
AND CNS DEPRESSION.INHAL:MAY CAUSE RESPIRATORY IRRITATION AND CNS
DEPRESSION.NONE NORMALLY REQUIRE D.

Explanation of Carcinogenicity:
THIS ITEM DOES NOT CONTAIN A KNOWN OR
SUSPECT CARCINOGEN AT OR ABOVE 0.1%.

Effects of Overexposure:SKIN:DERMATITIS.INGEST/INHAL:NAUSEA,
DIZZINESS,GIDDINESS,POSSIBLY LEADING TO UNCONSCIOUSNESS OR DEATH.
Medical Cond Aggravated by Exposure:EXPOSURE TO THIS PRODUCT MAY
AGGRIVATE EXISTING LIVER OR KIDNEY AILMENTS(DUE TO EXPOSURE TO
ISOPROPANOL).

=====
===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.EYES:FLUS

H

WITH WATER FOR 15 MINUTES,WHILE LIFTING BOTH LIDS.INHAL: REMOVE FROM EXPOSURE.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. INGEST:GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS(NOT DROWSY),GIVE 2 GLASSES OF WATER AND INDUCE VOMITING WITH IPECAC(30CC) OR FINGER DOWN THROAT.KEEP HEAD BELOW HIPS WHILE VOMITING.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:-15F,-26C

Lower Limits:1.0

Upper Limits:12.8

Ext

inguishing Media:ALCOHOL FOAM,CARBON DIOXIDE,DRY CHEMICAL.

Fire Fighting Procedures:USE A NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS IN POSITIVE PRESSURE MODE.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

Unusual Fire/Explosion Hazard:CONTAINERS MAY BURST FROM HEAT OF FIRE. VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL LONG DISTANCES ALONG THE GROUND, CREATING A FLASHBACK HAZARD.

=====
===== Accidental Release Measures =====

Spill Release Procedure

s:ELIMINATE SOURCES OF IGNITION.USE PROPER RESPIRATORY AND PROTECTIVE EQUIPMENT.SOAK UP WITH AN INERT,NON-COMBUSTIBLE ABSORBANT(EG.CLAY,VERMICULITE);TRANSFER TO AN APPROPRIATE LABELLED CONTAINER FOR DISPOSAL.CLEAN SPILL AREA.GROUND HANDLING EQUIPMENT.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY PLACE.AVOID HEAT,SPARKS AND FLAMES.KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other

Precautions:EMPTY CONTAINER MAY RETAIN HAZARDOUS CHARACTERISTICS; DISPOSE OF PROPERLY.GROUND AND BOND CONTAINERS WHEN TRANSFER EQUIPMENT AND CONTAINERS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING,OR IN ENCLOSED SPACES,USE A NIOSH-MSHA APPROVED ORGANIC RESPIRATOR OR SELF CONTAINED BREATHING APPARATUS,DEPENDING OR THE AIRBORNE CONCENTRATION.

Ventilation:USE LOCAL EXHAUST AT THE WORKSITE;

USE GENERAL DILUTION

VENTILATION TO MAINTAIN PEL/TLV. USE EXPLOSION PROOF EQUIPMENT.

Protective Gloves: RUBBER OR VINYL COATED.

Eye Protection: CHEMICAL SAFETY GOGGLES.

Other Protective Equipment: USE PROTECTIVE CLOTHING, AS NEEDED. PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING AND SMOKING.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC: F2

Boiling Pt: B.

P. Text: 133-206F

Vapor Density: >1

Spec Gravity: 1.5

Evaporation Rate & Reference: