View NSN Online: https://aerobasegroup.de/nsn/6850-01-268-6705

Product ID:FLAW-FINDER AG-3D-FS PENETRANT MSDS Date:05/01/1994 FSC:6850 NIIN:01-268-6705 MSDS Number: BVYJY === Responsible Party === Company Name: AMERICAN GAS AND CHEMICAL COMPANY., LTD. Address:220 PEGASUS AVENUE City:NORTHVALE State:NJ ZIP:07647-1904 Country:US Info Ph one Num:201-767-7300 Emergency Phone Num:201-767-7300 Preparer's Name: ELENA FROST CAGE:03530 === Contractor Identification === Company Name: AMERICAN GAS AND CHEMICAL COMPANY, LTD Address:220 PEGASUS AVENUE, City:NORTHVALE State:NJ ZIP:07647-1904 Country:US Phone:201-767-7300 CAGE:03530

======= Composition/Information on Ingredients ==========

Ingred Name:DI-SEC-OCTYL PHTHALATE (DI-2-ETHYLHEXYL-PHTHALATE) (SARA III) CAS:117-81-7 RTECS #:TI0350000 Fraction by Wt: 60.0% OSHA PEL:5 M G/M3/10 STEL ACGIH TLV:5 MG/M3; 9192 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:PER MANUFACTURER'S MSDS,ITEM CONTAINS NO OTHER HAZARDOUS INGREDIENTS ACCORDING TO THE PROVISIONS GIVEN IN 29CFR1910.1200 RTECS #:99999992Z Fraction by Wt: BALANCE

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-CAUSES IRRITATION OF

EYES, SKIN, RESPIRATORY TRACT. INGESTION MAY CAUSE NAUSEA, VOMITING, ETC. INGESTION OF SMALL QUANTITIES IS USUALLY NON-FATAL UNLESS ASPIRATION OCCURS. ASPIRATION MAY LEAD TO CHE MICAL PNEUMONITIS.

Explanation of Carcinogenicity:DI(2-ETHYLHEXYL)PHTHALATE LISTED AS AN ANIMAL CARCINOGEN,IT IS NOT LISTED AS HUMAN CARCINOGEN,PER MFR MSDS INFORMATION.

Effects of Overexposure:INHALED:DUE TO ITS LOW VOLATILITY, EXPOSURE TO THIS MATERIAL UNDER AMBIENT CONDITIONS IS NOT EXPECTED TO P RODUCE

ADVERSE HEALTH EFFECTS FOLLOWING NORMAL WORKPLACE EXPOSURE. SKIN:CAN CAUSE SLIGHT IRRIT ATION. EYES:MAY CAUSE IRRITATION. INGESTED:CAN CAUSE G/I IRRITATION, NAUSEA, VOMITING AND DIARRHEA. Medical Cond Aggravated by Exposure:NONE CURRENTLY KNOWN

First Aid:EYE:FLUSH W/LARGE AMOUNTS OR WATER, LIFTING LIDS. IF IRRITATION PERSISTS, CALL A PHYSICIAN. SKIN:WASH HANDS AND CONTAMINATED SKIN AFTER HANDLING. I NHALED:REMOVE TO FRESH AIR. AID/RESTORE BREATHING IF NECESSARY. REMOVE MATERIAL FROM EYES, SKIN, CLOTHING. INGESTED:DO NOT INDUCE VOMITING. CALL A PHYSICIAN.

Flash Point Method:PMCC Flash Point:252F/122C Extinguishing Media:REGULAR FOAM, WATER FOG, CARBON DIOXIDE, OR DRY CHEMICAL.

Fire Fighting Procedures: FIRE FIGHTERS AND OTHERS WHO MAY BE EXPOSED TO PRODUCTS OF COMBUSTION SHOULD WEAR FULL PROTECTIVE CLOTHIN

## G AND

SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

======================================
Spill Release Procedures:CONTAIN SPILL IMMEDIATELY. DO NOT ALLOW SPILL TO ENTER SEWERS OR WATER COURSES. REMOVE ALL SOURCES OF IGNITION. ABSORB WITH APPROPRIATE INERT MATERIAL SUCH AS SAND, CLAY, ETC. Neutralizing Agent:PROLONGED/REPEATED SKIN CONTACT
======================================
<ul> <li>Handling and Storag</li> <li>e Precautions:STORE IN A COOL DRY AREA. KEEP</li> <li>CONATAINERS CLOSED AND PLAINLY LABELED.</li> <li>Other Precautions:AVOID PROLONGED OR REPEATED SKIN CONTACT. DO NOT GET IN EYES.</li> </ul>
======================================
Respiratory Protection:NO INFORMATION GIVEN BY MFR ON MSDS. Ventilation:NO INFORMATION GIVEN BY MFR ON MSDS. Protective Gloves:NON ABSORBENT GLOVES Eye Protection:SAFETY GLASSES Other Protective Equipment:NO INFORMATION GIVEN BY MFR ON MSDS. Work Hygienic P ractices:MFR: ? HMIS:USE STRICT CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY EXPOSURE. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health MFR GAVE ALMOST NO INFORMATION ON PERSONAL PROTECTIVE EQUIPMENT (EXCEPT GLOPVES & EYE WARE). SINCE THE PRODUCT CONTAINS A CARCINOGEN LISTED BY NTP, HMIS RECOMMENDS READING THE NTP REPORT THEN MINIMIZI NG CONTACT WITH THE PRODUCT I/A/W BEST INDUSTRIAL HYGIENE PROCEDURES.
======================================
S ====================================

HCC:N1 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:440F/227C Vapor Pres:1.0 Spec Gravity:0.98 Evaporation Rate & amp; Reference: