

HUNTINGTON LABORATORIES INC -- UMBRELLA HIGH SOLIDS FLOOR POLISH -- 7930-01-381-3496

=====  
Product Identification  
=====

Product ID:UMBRELLA HIGH SOLIDS FLOOR POLISH

MSDS Date:10/01/1991

FSC:7930

NIIN:01-381-3496

MSDS Number: BVYMN

=== Responsible Party ===

Company Name:HUNTINGTON LABORATORIES INC

Box:17181

City:FORT WORTH

State:TX

ZIP:76102

Country:US

Info Phone Num:219-356-8100

Emergency Phone Nu

m:219-356-8100

CAGE:29800

=== Contractor Identification ===

Company Name:HUNTINGTON LABORATORIES INC

Address:970 E TIPTON ST

Box:City:HUNTINGTON

State:IN

ZIP:46750-1611

Country:US

Phone:219-356-8100

CAGE:29800

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIETHYLENE GLYCOL MONOMETHYL ETHER (SARA III)

CAS:111-77-3

RTECS #:KL6125000

Fraction by Wt: 1-10%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ACRYLIC POLYMER

CAS:9011-15-8

Fraction by Wt: >/= 3%

Other RE

C Limits:NONE RECOMMENDED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: >/= 3%

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: NO ADVERSE REACTION

EXPECTED. EYES: MAY CAUSE IRRITATION. SKIN: NO ADVERSE REACTION

EXPECTED. INGESTION: MAY BE HARMFUL.

=====

=====  
===== First Aid Measures =====

First Aid:INHALATION: MOVE TO FRESH AIR. EYES: FLUSH WITH FLOWING WATER

FOR 15 MINUTES. IF IRRITATION PERSISTS, CALL A PHYSICIAN. SKIN:

FLUSH WITH FLOWING WATER. INGESTION: GIVE VICTIM A GLASS OF WATER.

CALL A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TOC

Flash Point:NONE

Extinguishing Media:AS APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:NONE

Unusual Fir

e/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. DO NOT CONTAMINATE FOOD, FEED,  
OR WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:FOLLOW NORMAL HYGIENIC PRACTICES.

STORE BETWEEN 35F AND 90F.

Other Precautions:KEEP AWAY FROM CHILDREN.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED

Ven

tilation:MECHANICAL VENTILATION  
Protective Gloves:NONE REQUIRED  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:NONE REQUIRED  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C  
Vapor Pres:17.5 @ 20C  
Vapor Density:1 (WATER=1) \* 9.5  
Solubility in Water:100%  
Appearance and Odor:MILKY LIQUID, AMMONIA ODOR  
Percent Volatiles by Volume:75

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE  
Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE, CARBON DIOXIDE, AND ACRYLIC MONOMERS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

=====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.