

EVERSEAL MFG CO INC -- ORANGE FLAT PAINT -- 8010-00-584-3140

===== Product Identification =====

Product ID:ORANGE FLAT PAINT

MSDS Date:03/06/1987

FSC:8010

NIIN:00-584-3140

MSDS Number: BVZGL

=== Responsible Party ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

City:RIDGFIELD

State:NJ

ZIP:07657-2329

Country:US

Info Phone Num:201-943-4986 / FAX 201-943-1123

Emergency Phone Num:201-943-49

86

CAGE:72988

=== Contractor Identification ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

Box:City:RIDGFIELD

State:NJ

ZIP:07657-2329

Country:US

Phone:201-943-4986

CAGE:72988

===== Composition/Information on Ingredients =====

Ingred Name:RESIN

Fraction by Wt: 12%

Other REC Limits:NONE RECOMMENDED

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 13%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 93

Ingred Name:DIATAMACEOUS SILICA  
 Fraction by Wt: 2%  
 Other REC Limits:NONE RECOMMENDED

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)  
 CAS:1317-65-3  
 RTECS #:EV9580000  
 Fraction by Wt: 27%  
 Other REC Limits:NONE RECOMMENDED  
 OSHA PEL:15 MG/M3 TDUST  
 ACGIH TLV:10 MG/M3 TDUST; 9394

Ingred Name:MAGNESIUM SILICATE  
 Fraction by Wt: 20%  
 Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL SPIRITS  
 Fraction by Wt: 26%  
 Other REC Limits:NONE RECOMMENDED

=====  
 ===== Hazards Identification =====  
 =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
 Health Hazards Acute and Chronic:SKIN- DRYING. EYES- IRRITATION.  
 INHALATION- MAY CAUSE ANESTHESIA, CNS DEPRESSION, UPPER RESPIRATORY  
 IRRITATION.  
 Effects of Overexposure:SKIN- DRYING. INHALATION- HEADACHE, DIZZINESS,  
 NAUSEA.  
 Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
 ===== First Aid Measures =====  
 =====

First Aid:EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE LIFTING  
 EYELIDS. SKIN: FLUSH WITH WATER. REMOVE CONTAMINATED CLOTHING.  
 INHALATION: REMOVE VICTIM TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL  
 RESPIRATIO N AS REQUIRED. GET MEDICAL ATTENTION. INGESTION- SEEK  
 MEDICAL ATTENTION.

=====  
 ===== Fire Fighting Measures =====  
 =====

Flash Point:105F,41C  
 Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
 Fire Fighting Procedures:FIREFIGHTERS SHOUL

D WEAR SELF-CONTAINED  
BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:WATER IS NOT A SUITABLE EXTINGUISHING  
MEDIUM.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH WATER INTO RETAINING AREA OR  
CONTAINER. AVOID SPARKS, FIRE OR HOT METAL SURFACES. SMALL AMOUNTS  
CAN BE ABSORBED ONTO AN APPROPRIATE ABSORBANT.

===== Handling and Storage =====

Handling and Storage Precautions:COMBUSTIBLE.V  
APORS MAY CAUSE FLASH

FIRE. VAPORS MAY IGNITE EXPLOSIVELY. VAPORS HARMFUL. KEEP AWAY FORM  
FIRE, HEAT & OPEN FLAMES. KEEP CONTAINER CLOSED

Other Precautions:AVOID PROLONGED AND REPEATED PERSONAL CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:DEPENDS ON CONCENTRATION ABOVE TIME WEIGHTED TLV  
- CARTRIDGE OR MASK.

Ventilation:PROVIDE LOCAL EXHAUST VENTILATION IN SUFFICIENT VOLUME AND  
PATTERN SO AS TO MAINTAIN EXPOSURE BELOW TLV'S.

Protective Gloves:IMPERMEABLE

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:APRON, BARRIER CREAM

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING THIS  
MATERIAL.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:323-390F

Vapor Density:> AIR

Spec Gravity:12.6 LB/GL

Evaporation Rate & Reference:SLOWER THAN ETHER

Appearance and Odor:ORANGE FLAT PAINT

Percent Volatiles by Volume:51,V

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: HEAT, SPARKS AND OPEN FLAMES.

Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF  
IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.