

CANON USA INC -- CANON TONER BLACK FOR CLC 200/300 -- 6850-01-353-4460

=====
Product Identification
=====

Product ID:CANON TONER BLACK FOR CLC 200/300

MSDS Date:12/01/1991

FSC:6850

NIIN:01-353-4460

MSDS Number: BVZQB

=== Responsible Party ===

Company Name:CANON USA INC

Address:ONE CANON PLAZA

City:LAKE SUCCESS

State:NY

ZIP:11042

Country:US

Info Phone Num:516-488-6700

Emergency Phone Num:800-424-93

00 (CHEMTREC)

CAGE:1BA63

=== Contractor Identification ===

Company Name:CANON USA INC

Address:ONE CANON PLAZA

Box:City:LAKE SUCCESS

State:NY

ZIP:11042

Country:US

Phone:516-328-5600

CAGE:1BA63

=====
Composition/Information on Ingredients
=====

Ingred Name:BISPHENOL A PROPYLENE OXIDE FUMARATE

CAS:39382-25-7

Fraction by Wt: 85-95%

Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Fraction by Wt: 1-5%

Other REC Limits:NONE RECOMMENDED

OSH

A PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3; 9394

Ingred Name:SALICYLIC ACID CHELATE
CAS:72869-85-3
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:PEL: 0.5 MG/M3 CHROMIUM
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: TONER IS FINELY DIVIDED
SOLID. DO NOT BREATHE DUST. EYES: NO SPECIFIC HAZARD IS KNOWN TO
CANON, HOWEVER, ANY MATERIAL CONTACTING THE EYE MAY BE IRRITATING.
SKIN: LOW HAZARD FOR INDUSTRIAL HANDLING.
Explanation of Carcinogenicity:NOT CARCINOGENIC.
Effects of Overexposure:NO DATA AVAILABLE FOR CHRONIC EFFECTS OF
OVEREXPOSURE.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE FROM EXPOSURE TO FRESH AIR. EYE: OPEN EYE
AND FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF
IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP
AND WATER. INGESTION: DRINK SEVERAL GLASSES OF WATER. CALL A
PHYSICIAN.

=====
===== Fire Fighting Measures =====

Extinguishing Media:CARBON DIOXIDE, WATER, DRY CHEMICAL.
Fire Fighting Procedures:NONE.
Unusual Fire/Explosion Hazard:THIS MATERIAL, LIKE MOST ORGANIC
MATERIALS IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

=====
===== Accident

al Release Measures =====

Spill Release Procedures:SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER CARTON.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN. KEEP AWAY FROM CONTACT WITH OXIDIZING MATERIALS. STORE IN THE ROOM BELOW 40C.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory P

rotection:NONE REQUIRED.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:NONE REQUIRED.

Eye Protection:NONE REQUIRED.

Other Protective Equipment:NONE REQUIRED.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health
NONE.

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:100-150C

Spec Gravity:1.0-1.2(H2O=1)

Evaporation Rate & Reference:NEGLIGIBLE (BUAC=1)

Solubility in Water:NO

T SOLUBLE

Appearance and Odor:TONER IS FINE POWDER, SLIGHT PLASTIC ODOR.

Percent Volatiles by Volume:NEG

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:COMBUSTION WILL PRODUCE CARBON DIOXIDE AND, POSSIBLY TOXIC CHEMICALS SUCH AS CARBON MONOXIDE.

===== Disposal Considerations =====

Wa

ste Disposal Methods:THE WASTE TONER COULD BE CONSIDERED AS PLASTIC WASTE. FOR INCINERATION, PACKAGE TONER ADEQUATELY. DO NOT DISPERSE TONER INTO FIRE. DISPOSE IN ACCORDANCE WITH FEDERAL, STATE &/LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.