

LOCTITE CORP -- GASKET ELIMINATOR 510 SEALANT, 51031

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-327-8146
MSDS Date: 01/04/1994
MSDS Num: BWCJN
Product ID: GASKET ELIMINATOR 510 SEALANT, 51031
MFN: 01
Responsible Party
Cage: 7K128
Name: LOCTITE CORP
Address: 705 NORTH MOUNTAIN RD
City: NEWINGTON
CT 06111
Info Phone Number: 203-278-1280
Emergency Phone Number: 203-278-1280
Preparer's Name: STEPHEN REPETTO
Published: Y

=====
Contractor Summary
=====

Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
Phone: 312-689-6200
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

Item Manager: N35
Item Name: SEALING COMPOUND
Unit of Issue: TU
Quantitative Expression: 0000000002OZ
UI Container Qty: 1

=====
Ingredients
=====

Cas: 25852-47-5
Name: POLYGLYCOL DIMETHACRYLATE
% Wt: 40-45
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

-
Cas: 39382-25-7
Name: BISPHENOL A FUMARATE RESIN
% Wt: 20-25
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

Cas: 13676-54-5
RTECS #: ON5670000
Name: MALEIMIDE, N,N'-(METHYLENEDI-P-PHENYLENE) DI-; (MALEIMIDE)
% Wt: 10-15
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

Cas: 68332-62-7
Name: POLYMERIC PLASTICIZER
% Wt: 10-15
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

Cas: 112945-52-5
RTECS #: VV7310000
Name: SILICA,
AMORPHOUS (FUMED)
% Wt: 3-5
OSHA PEL: 6 MG/M3
ACGIH TLV: 10 MG/M3

Cas: 80-15-9
RTECS #: MX2450000
Name: HYDROPEROXIDE, ALPHA, ALPHA-DIMETHYLBENZYL-; (CUMENE HYDROPEROXIDE)
(SARA III)
% Wt: 1-3
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
EPA Rpt Qty: 10 LBS
DOT Rpt Qty: 10 LBS

Cas: 81-07-2
RTECS #: DE4200000
Name: 1,2-BENZISOTHIAZOLIN-3-ONE, 1,1-DIOXIDE; (SACCHARIN) (SARA III)
% Wt: 1-3
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
EP

A Rpt Qty: 100 LBS
DOT Rpt Qty: 100 LBS

Cas: 114-83-0
RTECS #: AJ2900000
Name: ACETIC ACID, 2-PHENYLHYDRAZIDE; (1-ACETYL-2-PHENYLHYDRAZINE)
% Wt: 0.1-1
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

Cas: 101-77-9
RTECS #: BY5425000
Name: ANILINE, 4,4'-METHYLENEDI-; (4,4'-METHYLENE DIANILINE) (SARA III)
% Wt: 0.1-1
OSHA PEL: N/K (FP N)
ACGIH TLV: 0.1 PPM, S
EPA Rpt Qty: 1 LB
DOT Rpt Qty: 1 LB

RTECS #: 999999
9VO
Name: VOLATILE ORGANIC CONTENT: 11.4%
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

=====
Health Hazards Data
=====

LD50 LC50 Mixture: LD50 (ORAL): >10,000 MG/KG.

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: YES

IARC: YES

OSHA: NO

Effects of Exposure: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.

Explanation Of Carcinogenicit

y: SACCHARIN:IARC MONO, SUPP, VOL 7, PG 334,

1987:GRP 2B. NTP ANTICIPATED TO BE CARCIN (FP N).

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: LIVER AILMENTS.

First Aid: INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION: REMOVE FROM EXPOSURE. SUPPORT BREATHING (GIVE ARTIFICIAL RESPIRATION/OXYGEN) (FP N). SKIN: WASH WITH SOAP AND WATER. EYE: FLUSH FOR AT LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL A

TTENTION.

=====
Handling and Disposal
=====

Spill Release Procedures: SOAK UP IN AN INERT ABSORBENT. STORE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS (FP N).

Handling And Storage Precautions: STORE BELOW 110F. AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: >200F,>93C

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: NONE.

=====
Control Measures
=====

Respiratory Protection: WEAR NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation: GENERAL VENTILATION SUFFICIENT TO KEEP AIRBORNE CONCENTRATION BELOW CURRENT EXPOSURE LIMITS (FP N).

Protective Gloves: RUBBER OR PLASTIC GLOVES.

Eye Protection: ANSI APPROVED CHEM WORKERS GOGG (FP N).

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

HCC: T6

B.P. Text: >300F,>149C

Vapor Pres: <5 @ 80F

Spec Gravity: 1.08 @ 80F

Solubility in Water: SLIGHT

Appearance and Odor: ORANGE-RED GEL, MILD ODOR.

=====

Reactivity Data

Stability Indicator: YES
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.
Materials To Avoid: NONE.
Hazardous Decomposition Products: IRRITATING ORGANIC VAPORS.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT.

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: 7K128
Trans ID NO: 125701
Product ID: GASKET ELIMINATOR 510 SEALANT, 51031
MSDS Prepared Date: 01/04/1994
Review Date: 01/24/1995
MFN: 1
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: TU
Container QTY: 1

Detail DOT Information

=====
DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information

=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information

=====
IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information

=====
AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label

=====
Product ID: GASKET ELIMINATOR 510 SEALANT, 51031
Cage: 7K128
Company
Name: LOCTITE CORP
Street: 705 N MT RD
City: NEWINGTON CT
Zipcode: 06111
Health Emergency Phone: 203-278-1280
Label Required IND: Y
Date Of Label Review: 11/11/1994
Status Code: C
Label Date: 11/11/1994
Origination Code: G
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: ACUTE: MAY CAUSE DERMATITIS ON PROLONGED

CONTACT IN

SENSITIVE INDIVIDUALS. CHRONIC: CANCER HAZARD. CONTAINS SACCHARIN WHICH IS LISTED AS A CARCINOGEN (FP N)

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability b

y or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity t

o a corresponding Department of Defense or other government situation.