

BAKER SEALANTS AND COATINGS CO -- RAW LINSEED OIL -- 8010-00-221-0611

===== Product Identification =====

Product ID:RAW LINSEED OIL

MSDS Date:10/05/1991

FSC:8010

NIIN:00-221-0611

MSDS Number: BWCVX

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Info Phone Num:201-333-6986 / FAX 201-333-6955

Emergency

Phone Num:201-333-6986

Preparer's Name:MARIO NAVARRO

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

===== Composition/Information on Ingredients =====

Ingred Name:LINSEED OIL

CAS:8001-26-1

RTECS #:OI9690000

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry:

Inhalation: YES Skin: YES Ingestion: NO
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: NONE SPECIFIED BY MANUFACTURER.
Explanation of Carcinogenicity: NOT CARCINOGENIC.
Effects of Overexposure: NONE SPECIFIED BY MANUFACTURER.
Medical Condition Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid: EYES-FLUSH WITH CLEAN WATER FOR 15 MINUTES. SKIN-WASH WITH SOAP AND WATER AND OBSERVE ROUTINE HYGIENIC PRACTICES.

===== Fire Fighting Measures =====

Flash Point Method: CC
Flash Point: >200F, >93C
Extinguishing Media: WATER SPRAY, DRY CHEMICAL, DRY CHEMICAL, FOAM, CARBON DIOXIDE.
Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR PROTECTIVE CLOTHING. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL.
Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures: LARGE SPILLS-MAY BE SCOOPED UP AND PUT INTO CONTAINERS OR SALVAGED. SMALL SPILLS-SPILLS MAY BE PICKED UP WITH ABSORBENT MATERIAL AND TRANSFERRED TO CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions: STORE AWAY FROM HIGH TEMPERATURES AND FLAMES. DO NOT BREATHE SPRAY MIST.
Other Precautions: AVOID SPONTANEOUS COMBUSTION OF CONTAMINATED RAGS AND OTHER EASILY IGNITABLE ACCUMULATIONS (SUCH AS SPRAY BOOTH RESIDUE)
BY IMMEDIATE IMMERSION IN WATER. EMPTIED CONTAINERS MAY RETAIN RESIDUE OF PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT NORMALLY NEEDED.
Ventilation: NOT APPLICABLE.
Protective Gloves: NEOPRENE RUBBER GLOVES.
Eye Protection: GOGGLES OR SIDE SHIELD SPECTACLES.
Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices: WASH AFTER USING.
Supplemental Safety and Health
DO NOT PUNCTURE OR WELD ON OR NEAR TIE

CONTAINER.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:0.92

Appearance and Odor:AMBER LIQUID.

Percent Volatiles by Volume:0%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT WITH STRONG XOIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:USUAL PRODUCTS OF COMBUSTION-CARBON
MONOXIDE, CARBON DIOXIDE AND POSSIBLE
ACROLEIN.

===== Disposal Considerations =====

Waste Disposal Methods:CAREFULLY INCINERATE OR USE SECURE LANDFILL IN
ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims a

ll liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.