

CRC CHEMICAL USA -- GUNCARE -- 6850-00-224-6657

=====
Product Identification
=====

Product ID:GUNCARE
MSDS Date:03/01/1987
FSC:6850
NIIN:00-224-6657
MSDS Number: BWCWC
=== Responsible Party ===
Company Name:CRC CHEMICAL USA
Address:885 LOUIS DRIVE
City:WARMINSTER
State:PA
ZIP:18974-2820
Country:US
Info Phone Num:215-674-4300
Emergency Phone Num:215-674-4300
Preparer's Name:ALLEN B. REED
CAGE:HO17

4
=== Contractor Identification ===
Company Name:CRC CHEMICAL USA
Address:885 LOUIS DRIVE
Box:City:WARMINSTER
State:PA
ZIP:18974-2820
Country:US
Phone:215-674-4300
CAGE:HO174
Company Name:CRC INDUSTRIES, INC.
Address:885 LOUIS DRIVE
Box:City:WARMINSTER
State:PA
ZIP:18974-2820
Country:US
Phone:215-674-4300/800-424-9300
CAGE:10136

=====
Composition/Information on Ingredients
=====

Ingred Name:PERTOLEUM DISTILLATE [HYDROTREATED LIGHT PETROLEUM
DISTILLATE]
CAS:64742-47-8
Frac

tion by Wt: 43%

Other REC Limits:NONE SPECIFIED

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 30%

Other REC Limits:NONE SPECIFIED

OSHA PEL:350 PPM

ACGIH TLV:350 PPM/450STEL;9394

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

Ingred Name:INHIBITED PARAFFINIC OIL

Fraction by Wt: 27%

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 (OIL MIST)

=====
===== Hazards Identification =====

=

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION MAY CAUSE CNS & ANESTHETIC EFFECTS. EXPOSURE MAY CAUSE EYE IRRITATION; SKIN DRYING & DEFATTING. NO DATA GIVEN ON HEALTH EFFECTS IF INGESTED. CHRONIC: PROLONGED OR REPEATED EXPOSURE MAY CAUSE DERMATITIS.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALED: HEADACHE, DIZZINESS, NAUSEA, ANESTHETIC EFFECTS. EYES: BURNING, IRRITATION. SKIN: DRYING & DEFATTING.

Medical Cond Aggravated by Exposure:BREATHING CONDITIONS.

=====
===== First Aid Measures =====

First Aid:IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION-REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NEEDED. EYE-FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SKIN-WASH WITH SOAP & WATER.
ING

ESTION-DO NOT INDUCE VOMITING. CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:170F,77C COC

Extinguishing Media:WATER FOG, CARBON DIXOIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:DLA-FIREFIGHTERS SHOULD WEAR FULL PROTECTIVE CLOTHING INCLUDING POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA, ABSORB WITH INERT MATERIAL & PLACE IN A CLOSED CONTAINER

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE.

Other Precautions:VAPORS ARE HEAVIER THAN AIR AND WILL TEND TO COLLECT IN LOW AREAS

===== Exposure Controls/Personal Protection =====

==

Respiratory Protection:DLA-HMIS: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR OR SUPPLIED AIR RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134 AND MANUFACTURER'S RECOMMENDATIONS.

Ventilation:MECHANICAL VENTILATION IF VAPOR CONCENTRATION IS ABOVE TLV.

Protective Gloves:SOLVENT RESISTANT

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. DLA-HMIS: EYE WASH STATION & SAFETY SHOWER AVAILABLE.

Work Hygienic Practices:DLA-HMIS: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt:B.P. Text:220F,104C

Vapor Pres:6.2 MM HG

Vapor Density:>1

Spec Gravity:0.932

Evaporation Rate & Reference:N/K(PER MFR)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLUE LIQUID, PLEASANT ODOR

Percent Volati

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: THERMAL-HYDROGEN CHLORIDE, CHLORINE,
CARBON, POSSIBLY PHOSGENE.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS.

Disclaimer (provided with

this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.