View NSN Online: https://aerobasegroup.de/nsn/6505-01-308-6193

UPJOHN COMPANY, THE -- DEPO-MEDROL STERILE AQUEOUS SUSPENSION -- 6505-01-308-6193

Product ID:DEPO-MEDROL STERILE AQUEOUS SUSPENSION

MSDS Date:01/01/1987

FSC:6505

NIIN:01-308-6193

MSDS Number: BWFDG === Responsible Party ===

Company Name: UPJOHN COMPANY, THE

Address:7171 PORTAGE ROAD

City:KALAMAZOO

State:MI ZIP:49001 Country:US

Info Phone Num:616-329-5611 (8:00 AM

- 4:30 PM)

Emergency Phone Num:616-323-6722 (24 HOURS)

CAGE:93703

=== Contractor Identification ===

Company Name: PHARMACIA & UPJOHN

Address:7171 PORTAGE RD

Box:City:KALAMAZOO

State:MI

ZIP:49001-0199 Country:US

Phone:616-833-5122/616-833-7555

CAGE:93703

====== Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 88-94%

Other REC Limits: NONE RECOMMENDED

Ingred Name: CARBOWAX POLYETHYLENE GLYCOL 3350

Fraction by Wt: 3%

Oth

er REC Limits:NONE RECOMMENDED

Ingred Name: METHYL PREDISOLONE ACETATE

CAS:53-36-1

RTECS #:TU4154050 Fraction by Wt: 2-8%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SODIUM CHLORIDE

CAS:7647-14-5

RTECS #: VZ4725000

Fraction by Wt: 10G/KG, METHYLPREDISOLONE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:METHYLPREDNISOLONE ACETATE AFFECTS CARBOHYDRATE, PROTEIN AND FAT METABOLISM; FUNCTIONS OF THE

CARDIOVASCULAR SYSTEM, KIDNEY, SKELETAL MUSCLE, NERVOUS SYSTEM AND OTHER ORGANS AND TISSUES. IT MAY MODIFY THE BODY'S IMMUNE RESPONSE TO DIVERSE STIMULI. CHRONIC: MAY PRODUCE PITUITARY-ADRENAL SUPPRESSION, CUSHING'S SYNDROME.

Effects of Overexposure:INCREASED SUSCEPTIBILTY TO INFECTIONS WITH SUPPRESSION OF INFLAMMATORY RESPONSE, OSTEOPOROSIS, CATARACTS, GLAUCOMA WITH POSSIBLE DAMAGE TO THE OPTIC NERVE, MENTAL SYMPTOMS, HYPERGLYCEMIA AND GLYCOSURI A, MUSCULAR WEAKNESS AND FATIGUE.

ACNE, MENSTRUAL DISORDERS AND PEPTIC ULCERS.

Medical Cond Aggravated by Exposure:INCREASED SUSCEPTIBILITY TO INFECTIONS.RECENT IMMUNIZATION PROCEDURES MAY RESULT IN A LACK OF ANTIBODY RESPONSE AND NEUROLOGICAL DISORDERS.

First Aid:EYES- FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN TO ASSURE COMPLETE CONTACT WITH WATER. SKIN- WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. INHAL

ATION- REMOVE FROM

EXPOSURE. INGES TION- CONTACT A PHYSICIAN OR POISON CONTRO CENTER.

============= Fire Fighting Measures ========================

Flash Point: NONFLAMMABLE

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, WATER.

Fire Fighting Procedures:WEAR A NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT WHEN FIGHTING FIRES. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:NONE

====== Accidental

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with

this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.