

HACH CO. -- COPPER SULFATE -- 6810-00-241-1203

=====  
Product Identification  
=====

Product ID:COPPER SULFATE

MSDS Date:05/16/1990

FSC:6810

NIIN:00-241-1203

MSDS Number: BWFLC

=== Responsible Party ===

Company Name:HACH CO.

Address:100 DAYTON RD.

Box:907

City:AMES

State:IA

ZIP:50010-6402

Country:US

Info Phone Num:800-227-4224

Emergency Phone Num:303-623-5716

CAGE:4T252

=== Contractor Identification

===

Company Name:HACH COMPANY

Address:100 DAYTON RD.

Box:907

City:AMES

State:IA

ZIP:50010

Country:US

Phone:800-227-4224

CAGE:4T252

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CUPRIC SULFATE PENTAHYDRATE

CAS:7758-99-8

RTECS #:GL8900000

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 300MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcino

genicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:\*\*POISON\*\* EYES:MAY CAUSE IRRITATION.

SKIN:MAY CAUSE IRRITATION. MAY BE DERMALLY ABSORBED IN HARMFUL AMOUNTS. INGEST:MAY CAUSE GI TRACT IRRITATION. INHAL:MAY CAUSE RESPIRATORY IRRITATION. CHRONIC:MAY DAMAGE LIVER, KIDNEY, GI AND RESPIRATORYTRACT.

Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Effects of Overexposure:SYSTEMIC POISONING:VOMITING, DIARRHEA, SHOCK.

CHRONIC EXPOSURE MAY CAUSE DISCOLORATION OF SKIN AND HAIR.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN, LIVER, RESPIRATORY AILMENTS OR WILSON'S DISEASE MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING; WASH WITH WATER.  
EYES:FLUSH WITH WATER FOR 15 MINUTES. INHAL:REMOVE TO FRESH AIR.  
GIVE OXYGEN OR ARTIFICIAL RESPIRATION  
IF NEEDED. INGEST:DO NOT  
INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION.  
IFCONSCIOUS, GIVE LARGE AMOUNTS OF WATER OR MILK.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:WATER  
Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.  
Unusual Fire/Explosion Hazard:FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.

=====  
===== Accidental Release Measures =====

Spi  
Il Release Procedures:SWEEP OR VACUUM; DO NOT CREATE DUST; PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL. CLEAN WITH WATER.  
Neutralizing Agent:NOT APPLICABLE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL-VENTILATED PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE.  
Other Precautions:FOLLOW LABEL DIRECTIONS. AVOID BREATHING DUST. AVOID SKIN AND EYE CONTACT.

=====  
===== Exposure Controls/Personal Prote

ction =====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A NIOSH/MSHA APPROVED RESPIRATOR FOR DUST.

Ventilation:USE LOCAL EXHAUST.

Protective Gloves:RUBBER

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION.

Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.

WASH HANDS AFTER USE AND BEFORE EATING.

Supplemental Safety and Health

**\*\*POISON--IRRITANT\*\*** THE MELTING POINT(

30C) ON THIS MSDS IS FOR THE

LOSS OF 2MOLS H<sup>2</sup>O;IT LOOSES 4MOLS AT 110C;IT BECOMES ANHYDROUS AT 250C(MERCK#9).

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:>400.C, 752.F

Melt/Freeze Pt:=30.C, 86.F

Spec Gravity:2.286

pH:4@0.2M

Solubility in Water:COMPLETE

Appearance and Odor:CRYSTALS;BLUE;ODORLESS

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

HYDRO

XYLAMINE OR MAGNESIUM.

Stability Condition to Avoid:HIGH HEAT,AIR(DEHYDRATES).

Hazardous Decomposition Products:OXIDES OF SULFUR,CUPRIC OXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

===== Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elem

ents of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.