

PRATT AND LAMBERT, INC; INDUSTRIAL COATINGS DIV -- LACQUER C/N GLOSS, RED 11136, 786104 -- 8010-00-634-7320

===== Product Identification =====

Product ID:LACQUER C/N GLOSS, RED 11136, 786104

MSDS Date:10/13/1994

FSC:8010

NIIN:00-634-7320

MSDS Number: BWFMR

=== Responsible Party ===

Company Name:PRATT AND LAMBERT, INC; INDUSTRIAL COATINGS DIV

Box:2153

City:WICHITA

State:KS

ZIP:67201

Country:US

Inf

o Phone Num:316-733-1361

Emergency Phone Num:716-873-6000/DOT: 800-255-3924

Preparer's Name:W A ELLISON

CAGE:61196

=== Contractor Identification ===

Company Name:PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

===== Composition/Information on Ingredients =====

Ingred Name:ISOBUTYL ACETATE (SOLVENT) (LFL 2.0; UFL 11.0)

CAS:110-19-0

RTECS #:AI4025000

Fraction by Wt: 25%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:150

PPM; 700 MG/M3
ACGIH TLV:150 PPM; 700 MG/M3
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SOLVENT) (SARA III) (VAPOR PRESSURE 22 MM HG @
20C) (LFL 1.7; UFL 7.1) (SKIN)

CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM;STEL 150 PPM
ACGIH TLV:50 PPM; 147 MG/M3
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SOLVENT) (VAPOR PRESSURE 33 MM HG @ 20C)
(LFL 3.0; UFL 13.0)

CAS:67-63-0
RTECS #:NT80500
00
Fraction by Wt: 5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM;STEL 500 PPM
ACGIH TLV:400 PPM;STEL 500 PPM

Ingred Name:NITROCELLULOSE (RESIN)

CAS:9004-70-0
RTECS #:QW0970000
Fraction by Wt: 10%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ISOBUTYL ALCOHOL (SOLVENT) (VAPOR PRESSURE 10 MM HG @ 20C)
(LFL 1.0; UFL 11.0)

CAS:78-83-1
RTECS #:NP9625000
Fraction by Wt: 10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:50 PPM; 150 MG/M3
ACGIH TLV:50 PPM; 150 MG/M3
EPA Rpt Qty:5000 LBS
DOT R

pt Qty:5000 LBS

Ingred Name:LEAD CHROMATE (PIGMENT) (SARA III)

CAS:7758-97-6

RTECS #:GB2975000

Fraction by Wt: