View NSN Online: https://aerobasegroup.de/nsn/9150-01-306-9202

HANOVER PROCESSING CO INC DIV OF ROYAL LUBRICANTS -- ROYCO 498 -- 9150-01-306-9202

Product ID:ROYCO 498 MSDS Date:02/23/1989

FSC:9150

NIIN:01-306-9202

MSDS Number: BWFQD === Responsible Party ===

Company Name: HANOVER PROCESSING CO INC DIV OF ROYAL LUBRICANTS

Address: RIVER RD AND MERRY LN

City: EAST HANOVER

State:NJ ZIP:07936 Country:US

Info Phone Num:201-887-7410

/ FAX 201-887-8404

Emergency Phone Num:201-887-7410 Preparer's Name:PRODUCT SAFETY

CAGE:3P444

=== Contractor Identification ===

Company Name: HANOVER PROCESSING CO INC DIV OF ROYAL LUBRICANTS

Address: RIVER RD AND MERRY LN

Box:City:EAST HANOVER

State:NJ ZIP:07936 Country:US

Phone:201-887-7410

CAGE:3P444

Company Name: SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA ZIP:70058 Country:US

Phone:504-366-4542

CAGE:0T5C6

====== Composition/Information on Ingredients =======

=== Ingred Name: RESIDUAL OILS, HYDROTREATED CAS:64742-57-0 Fraction by Wt: 70-80% Other REC Limits: NONE RECOMMENDED OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST) Ingred Name: UNGANOPHILIC CLAY CAS:60333-52-0 Fraction by Wt: 10-15% Other REC Limits: NONE RECOMMENDED Ingred Name: MOLYBDENUM DISULFIDE CAS:1317-33-5 RTECS #:QA4697000 Fraction by Wt: 3-6% Other REC Limits: NONE RECOMMENDED OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3 Ingred Name: BARIUM DINONYLNAPHTALNE SULFONATE CAS:25619-56-1 **RTE** CS #:QM4450000 Fraction by Wt: 210C Extinguishing Media: USE WATER FOG, DRY CHEMICAL OR CARBON DIOXIDE. COOL FIRE EXPOSED CONTAINERS WITH WATER. Fire Fighting Procedures: DO NOT ENTER CONFINED FIRE SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING A NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: DO NOT USE DIRECT STREAM OF WATER; PRODUCT WILL FLOAT AND CAN BE RE-IGNITE ON SURFACE OF WATER. ====== Measures ====== Spill Release Procedures: SCOOP UP EXCESS GREASE. CLEAN AREA WITH APPROPIATE CLEANER.

=========== Handling and Storage ==============

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

Other Precautions:MINIMIZE SKIN CONTACT, WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING, OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. DES

TROY CONTAMINATED LEATHER GOODS TO PREVENT REUSE. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT ORDINARILY REQUIRED. Ventilation: NONE SPECIFIED BY MANUFACTURER. Protective Gloves: USE OIL RESISTANT GLOVES. Eve Protection: EYE PROTECTION: HIGH PRESSURE APPLICATION Other Protective Equipment: CLOTHING AS NEEDED TO MINIMIZE SKIN CONTACT. Work Hygienic Practices: DO NOT WEAR CONTAMINATED CLOTHING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE OR DI SCARD. Supplemental Safety and Health NOTE TO PHYSICIAN: EMESIS INDUCTION IS UNNECESSARY IN HIGH VISCOSITY, LOW VOLATILY PRODUCT, IE, MOST OILS AND GREASES. ======== Physical/Chemical Properties ============ HCC:V6 Solubility in Water: INSOLUBLE Appearance and Odor:BLACK BUTTERY GREASE, SLIGHT ODOR. ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid: AVOID HEA T, OPEN FLAME. Hazardous Decomposition Products: DEPENDENT ON COMBUSTION CONDITIONS, A COMPLEX MIXTURE OF AIRBORNE, SOLID, LIQUID PARTICULATES & GASES & CARBON MONOXIDE. ======= Disposal Considerations ============ Waste Disposal Methods: THIS PRODUCT CONTAINS BARIUM-DISPOSE OF AS REQUIRED FOR MATERIALS CONTAINING EXTRACTABLE BARIUM UNDER U.S. EPA-RCRA REGULATIONS - HAZARDOUS WASTE D005 UNLESS EXTRACTABLE BARIUM, WASTE IS LOWER THAN EP A LIMIT.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.