View NSN Online: https://aerobasegroup.de/nsn/6550-01-322-5329

CIBA CORNING DIAGNOSTICS CORP -- CERTAIN+ BLOOD GAS CONTROL,478941 6550-01-322-5329

Product ID:CERTAIN+ BLOOD GAS CONTROL,478941 MSDS Date:05/14/1991 FSC:6550 NIIN:01-322-5329 MSDS Number: BWFQK === Responsible Party === Company Name: CIBA CORNING DIAGNOSTICS CORP Address:63 NORTH ST City:MEDFIELD State:MA ZIP:02052 Country:US Info Phone Num:508-359-7711 Emerge ncy Phone Num:508-359-7711/800-888-8372 AFTER 5PM CAGE:51404 === Contractor Identification === Company Name: CIBA CORNING DIAGNOSTICS CORP A JOINT VENTURE Address:63 NORTH ST Box:City:MEDFIELD State:MA ZIP:02052-2308 Country:US Phone: 508-359-7711/800-255-8769 CAGE:51404 Ingred Name:NON-HAZARDOUS INGREDIENTS Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED ==== LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYES, SKIN. ACUTE-EYES/SKIN:MAY CAUSE SLIGHT IRRITATION. INHALATION:UNLIKELY. INGESTION: UNKNOWN. DO NOT SWALLOW. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure:SLIGHT EYE, SKIN IRRITATION

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS DEVELOP. EYES:FLUSH WITH PLENTY OF WATER FOR SEVERAL MINUTES. SKIN:WASH WITH SOAP AND WATER. INHALATION:NOT RELEVANT. INGESTION:SEEK MEDICAL ATTENTION IF NEEDED.

Flash Point:NONE

===

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED

SELF-CONTAINED BREATHING APPARATUS IF NEEDED.

Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: MOP UP SPILLS. RINSE SPILL AREA WITH PLENTY OF WATER.

Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions: AVOID HIGH TEMPERATURE AND KEEP FROM FREEZING. HANDLE WITH CARE.
Other Precautions: WASH HANDS
AFTER HANDLING. AVOID EYE CONTACT. KEEP
OUT OF REACH OF CHILDREN.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE REQUIRED Ventilation:ROOM VENTILATION Protective Gloves:LATEX RECOMMENDED Eye Protection:SAFETY GLASSES/GOGGLES RECOMMENDED Other Protective Equipment:EYE WASH STATION, LAB COAT Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING. Supplemental Safety and

Health

ITEM NAME: REFERENCE STANDARD, SODIUM, POTASSIUM, CALCIUM, CHLORIDE, CARBON DIOXIDE, OXYGEN, AND NITROGEN

HCC:N1 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:212F,100C Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Spec Gravity:1.01 Solubility in Water:COMPLETE Appearance and Odor:CLEAR LIQUID, ODORLESS

Stability Indicator/Materials to Avoid:YES

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person ut ilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.