View NSN Online: https://aerobasegroup.de/nsn/9620-00-075-9820

DIXON TICONDEROGA CO -- LUBRICATING FLAKE GRAPHITE NO 2 -- 9620-00-075-9820

Product ID:LUBRICATING FLAKE GRAPHITE NO 2 MSDS Date:01/01/1988 FSC:9620 NIIN:00-075-9820 MSDS Number: BWGHY === Responsible Party === Company Name: DIXON TICONDEROGA CO Address:756 BEACHLAND BLVD Box:3504 **City:VERO BEACH** State:FL ZIP:32964 Country:US Info Phone Num:201-657-2255 Emergency Phone Num:201-657-2255 Preparer's Name: J HEALY SAME CAGE:72657 === Contractor Identification === Company Name: DIXON TICONDEROGA CO Address:756 BEACHLAND BLVD Box:3504 City:VERO BEACH State:FL ZIP:32964 Country:US CAGE:72657

Ingred Name:GRAPHITE; (NATURAL GRAPHITE) CAS:7782-42-5 RTECS #:MD9659600 Fraction by Wt: 100% OSHA PEL:15 MPPCF (MFR) ACGIH TLV:2.5 MG/M3 (MFR)

=======

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: COUGH, DYSPNEA, BLACK SPUTUM, FIBROSIS, ETC. CHRONIC:PNEUMOCONIOSIS. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure: DISEASES OF THE RESPIRATORY AND CARDIOVASCULAR SYSTEM. First Aid:INGEST:CALL MD IMMEDIATELY . EYE:FLUSH WITH CLEAN WATER FOR @ LEAST 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. INHAL: REMOVE TO FRESH AIR. Extinguishing Media:NOT APPLICABLE. MEDIA SUITABLE FOR SURROUNDING FIRE Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. Sp ill Release Procedures:SWEEP OR VACUUM THOROUGHLY AS POWDERED GRAPHITE IS LUBRICANT AND THEREFORE SLIPPERY. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: STORE IN DRY AREA. GRAPHITE IS ELECTRICALLY CONDUCTIVE, TAKE CARE TO PREVENT CONTAMINATION OF ELECTRIC DEVICES.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Protection ========

Respiratory Protection:NIOSH/MSHA APPROVED DUST MASK IF CONCENTRATION EXCEEDS 15 MPPCF. Ventilation:MECHANICAL (GENERAL). Protective Gloves:IMPERVIOUS GLOVES . Eye Protection:ANSI APPROVED SAFETY GLASSES . Other Protective Equipment:NORMALLY NOT REQUIRED. Work Hygienic Practices:GOOD HOUSEKEEPING RULES SHOULD BE OBSERVED. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

Spec Gravity:2.25 (H*20=1) Solub ility in Water:NEGLIGIBLE Appearance and Odor:GRAY - BLACK POWDER, NO ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS SUCH AS FLUORINE, POTASSIUM PEROXIDE, ETC. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CO AND CO*2.

Waste Disposal Methods:BURY IN LANDFILL. DISPOSAL MUST BE I/A/W FEDERAL

, STATE & LOCAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this informati on to their

particular situation.