

SHARP ELECTRONICS CORP. -- BLACK TONER,FO-33 NT,UX-21 T -- 6850-01-371-6794

=====
Product Identification
=====

Product ID:BLACK TONER,FO-33 NT,UX-21 T

MSDS Date:02/07/1992

FSC:6850

NIIN:01-371-6794

MSDS Number: BWGNZ

=== Responsible Party ===

Company Name:SHARP ELECTRONICS CORP.

Address:SHARP PLAZA

City:MAHWA

State:NJ

ZIP:07430

Country:US

Info Phone Num:201-529-8200

Emergency Phone Num:201-529-922

3

CAGE:18520

=== Contractor Identification ===

Company Name:SHARP ELECTRONICS CORP.

Address:SHARP PLAZA

Box:City:MAHWAH

State:NJ

ZIP:07430-2135

Country:US

Phone:201-529-9223

CAGE:18520

=====
Composition/Information on Ingredients
=====

Ingred Name:STYRENE ACRYLATE COPOLYMER,

CAS:25153-46-2

Fraction by Wt: 63.5%

Other REC Limits:NONE RECOMMENDED

Ingred Name:WAX/POLYPROPYLENE

CAS:25085-53-4

Fraction by Wt: 3.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE/MAGNETIT

E
CAS:1317-61-9
Fraction by Wt: 32.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3
ACGIH TLV:5 MG/M3

Ingred Name:CHROMATE(1-), BIS(2-HYDROXY-3,5-DI(1,1-DI-METHYLETHYL)
BENZOATO (2-))-, HYDROGEN/METAL COMPLEX OF HYDROXYBENZENE
CAS:72869-85-3
Fraction by Wt: 1.5%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL) IS >5000 MG/KG.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYES, RESPIRATORY TRACT.
ACUTE AND CHRONIC- MAY CAUSE MECHANICAL IRRITATION OF EYES. MINIMAL
IRRITATION TO RESPIRATORY TRACT MAY OCCUR AS WITH EXPOSURE TO ANY
NON-TOXIC DUST. INGESTION UNLIKELY. SKIN IRRITATION NOT EXPECTED.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:EYES, RESPIRATORY TRACT IRRITATION
Medical Cond Aggravated by Exposure:RESPIRATORY DISEASES

===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYE/SKIN:FLUSH
WITH WATER FOR 5 MINUTES. HOLD EYELIDS OPEN. INHALED:REMOVE TO
FRESH AIR. ORAL:NOT LIKELY TO OCCUR.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, SAND, FOAM/DRY
CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS
COOL.
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND

ND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:VACUUM OR SWEEP UP SPILLAGE. AVOID CREATING
DUST. PLACE SPILLAGE IN APPROPRIATE CONTAINER FOR WASTE DISPOSAL.
VENTILATE AREA AND WASH SPILL SITE WITH WATER.
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:NO SPECIAL S
TORAGE REQUIREMENTS.
Other Precautions:DO NOT RAISE DUST. AVOID CONTACT WITH EYES. AVOID
INHALATION OF DUST. WASH THOROUGHLY AFTER HANDLING MATERIAL. KEEP
OUT OF REACH OF SMALL CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.
Ventilation:ROOM VENTILATION IS SUFFICIENT UNDER NORMAL OFFICE
CONDITIONS.
Protective Gloves:NONE REQUIRED UNDER NORMAL USE
Eye Protection:NONE REQUIRED UNDER NORMAL USE
Other Protecti
ve Equipment:EYE WASH STATION
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.
Supplemental Safety and Health
FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN.

===== Physical/Chemical Properties =====

HCC:N1
NRC/State Lic Num:NOT RELEVANT
Spec Gravity:1.47
Viscosity:NOT RELEVANT
Evaporation Rate & Reference:NOT RELEVANT
Solubility in Water:NEGLIGIBLE
Appearance and Odor:FINE BLACK POWDER - ODORLESS

==

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NONE

Stability Condition to Avoid: NONE

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE,
OXIDES OF NITROGEN

===== Disposal Considerations =====

Waste Disposal Methods: MAY BE DUMPED OR INCINERATED IN ACCORDANCE WITH
ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

T

his information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.