

DU PONT E I DE NEMOURS & CO INC -- ACRYLIC LACQUER PRIMERS AND SEALERS,131 S --  
8010-00-687-8191

===== Product Identification =====

Product ID:ACRYLIC LACQUER PRIMERS AND SEALERS,131 S

MSDS Date:01/01/1994

FSC:8010

NIIN:00-687-8191

MSDS Number: BWGZJ

=== Responsible Party ===

Company Name:DU PONT E I DE NEMOURS & CO INC

Address:1007 MARKET STREET

Box:1635

City:WILMINGTON

State:DE

ZIP:19898

Country

:US

Info Phone Num:800-441-7515/MSDS 302-774-8303

Emergency Phone Num:800-441-3637/800-424-9300(CHEMTREC)

Preparer's Name:T.R. LOUER

CAGE:18873

=== Contractor Identification ===

Company Name:E.I. DUPONT DE NEMOURS & CO

Address:1007 MARKET STREET

Box:City:WILMINGTON

State:DE

ZIP:19898

Country:US

Phone:800-441-7515;800-441-9442

CAGE:18873

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL ACRYLATE,METHYL METHACRYLATE,METHACRYLIC ACID POLYMER

CAS:25133-97-5

Fra

ction by Wt: 2%

Other REC Limits:NONE RECOMMENDED

Ingred Name:BUTYL BENZYL PHTHALATE (SARA 313) (CERCLA)

CAS:85-68-7

RTECS #:TH9990000

Fraction by Wt: 2%

Other REC Limits:5.0 MG/M3 MFR

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:ETHYL ACETATE (CERCLA)

CAS:141-78-6

RTECS #:AH5425000

Fraction by Wt: 13%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM

ACGIH TLV:400 PPM; 9495

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

2710000

Fraction by Wt: 13%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:20 MPPCF Z-3

ACGIH TLV:2 MG/M3 RDUST; 9495

Ingred Name:ISOPROPYL ALCOHOL (SARA 313)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 13%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM

ACGIH TLV:400 PPM/500STEL;9495

Ingred Name:LECTIN

CAS:90320-57-3

RTECS #:OG7570000

Fraction by Wt: 13%

Other REC Limits:NONE RECOMMENDED

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 13%

Other REC Limits:NONE

RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:TOLUENE (SARA 313) (CERCLA)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 13%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM; Z-2

ACGIH TLV:S, 50 PPM; 9495

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA 313) (CERCLA)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 9%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM/150STEL;9495

EPA Rpt Qty:1000 LBS

DOT

Rpt Qty:1000 LBS

Ingred Name:ZINC PHOSPHATE

CAS:7779-90-0

RTECS #:TD0590000

Fraction by Wt: 6%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:TLV FOR XYLENE IS UNKNOWN.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, CNS, LIVER,  
KIDNEY, RESPIRATORY &

GI TRACTS. ACUTE- MAY CAUSE EYE, SKIN,

RESPIRATORY & GI TRACTS IRRITATION. HARMFUL IF

INHALED/INGESTED/ABSORBED THROUGH SKIN. CAN AFFECT CNS. MAY CAUSE  
DERMATITIS. CHRONIC- MAY CAUSE SKIN DERMATITIS, CNS, BRAIN, LIVER &  
KIDNEY DAMAGE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION OF EYES, SKIN, RESPIRATORY & GI

TRACTS; TEARING, REDNESS AND STINGING OF EYES; BURNING, DRYING AND  
CRACKING OF SKIN; NAUSEA, VOMITING, DIARRHEA; DIZZINESS, HEADACHE,

DROWSINESS, WEAKNESS, FATIGUE, UNCONSCIOUSNESS

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS  
OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, LIVER,

KIDNEY OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH  
AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15  
MINUTES, HOLDING EYELIDS

OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO

NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY AND HAVE THE  
NAMES OF INGREDIENTS AVAILABLE.

=====  
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point: