

EASTMAN KODAK COMPANY -- 847 7978 EKTAPRINT TONER TYPE QN -- 6850-01-387-6599

=====  
Product Identification  
=====

Product ID:847 7978 EKTAPRINT TONER TYPE QN

MSDS Date:06/19/1993

FSC:6850

NIIN:01-387-6599

MSDS Number: BWHCV

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 FOR MSDS : 242-242

4

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====  
Composition/Information on Ingredients  
=====

Ingred Name:STYRENE BUTYLACRYLATE COPOLYMER

CAS:67338-64-1

Fraction by Wt: 85-95%

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EXPECTED TO BE LOW HAZARD FOR  
RECOMMENDED HANDLING FOR INHALATION, SKIN CONTACT & INGESTION. NO  
SPECIFIC HAZARD IS KNOWN FOR EYES BUT MAY CAUSE TRANSIENT  
IRRITATION. CHRONIC: OVEREXPOSURE TO CARBON BLACK DUST MAY RESULT  
IN IRRITATION OF THE RESPIRATORY TRACT.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRAT

ION OF 0.1%

OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:EYES: REDNESS, TEARING, DISCOMFORT. INHALED:  
COUGHING, WHEEZING, SNEEZING.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:INHALED-IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL  
ATTENTION IF SYMPTOMS PERSIST. EYES-FLUSH WITH LOTS OF WATER. GET  
MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN

-WASH WITH SOAP AND WATER.

GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTED-IF CONSCIOUS,  
DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:WATER, CARBON DIXOIDE, DRY CHEMICAL.

Fire Fighting Procedures:NONE. DLA-HMIS: FIREFIGHTERS SHOULD WEAR FULL  
PROTECTIVE CLOTHING INCLUDING POSITIVE-PRESSURE SELF-CONTAINED  
BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM  
EXPLOSIVE  
DUST-AIR MIXTURES.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILLS  
OF POWDERED TONERS. THE VERY FINE PARTICLES CAN CAUSE A FIRE OR  
EXPLOSION. SWEEP MATERIAL ONTO PAER & PLACE IN A FIBER CARTON.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. AVOID BREATHI  
NG

DUST. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER  
HANDLING.

Other Precautions:KEEP AWAY FROM STRONG OXIDIZING AGENTS. MINIMIZE DUST  
GENERATION AND ACCUMULATION. REFER TO NFPA PAMPHLET NO. 654, "  
PREVENTION OF FIRE & DUST EXPLOSIONS IN THE CHEMICAL, DYE,  
PHARMACEUTICAL & PLASTIC S INDUSTRIES".

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:GOOD VENTILATION (4-6 ROOM VOLUMES PER HOUR)

SHOULD BE

USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.

Protective Gloves:IMPERVIOUS-RUBBER

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment:WASHING FACILITIES. DLA-HMIS: EYE WASH STATION.

Work Hygienic Practices:GOOD INDUSTRIAL HYGIENE PRACTICE SHOULD BE FOLLOWED WHICH INCLUDES PREVENTING EYE CONTACT & MINIMIZING SKIN CONTACT.

Supplemental Safety and Health

AVOID INHALATION OF DUST. OTHER DATA: CAL. PROP 65 MATERIALS-NONE. SARA 313-NONE.

===

===== Physical/Chemical Properties =====

HCC:N1

Vapor Pres:NEGLIGIBLE

Vapor Density:NEGLIGIBLE

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK POWDER; SIGHT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR LANDFILL. CAN BE INCINERATED WHEN IN COMPLIANCE WITH LOCAL REGULATIONS. DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United S

tates of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.