

EZE PRODUCTS INC (FORMERLY INTEX CHEMICAL DIV) -- INTEX 8255 -- 6850-00-559-2836

=====
Product Identification
=====

Product ID:INTEX 8255

MSDS Date:12/18/1991

FSC:6850

NIIN:00-559-2836

MSDS Number: BWKWH

=== Responsible Party ===

Company Name:EZE PRODUCTS INC (FORMERLY INTEX CHEMICAL DIV)

Address:603 HIGH TECH CT

City:GREER

State:SC

ZIP:29650-5000

Country:US

Info Phone Num:803-879-7100

Emergency

Phone Num:803-879-7100

CAGE:EZEPR

=== Contractor Identification ===

Company Name:EZE PRODUCTS INC

Box:5744

City:GREENVILLE

State:SC

ZIP:29606

Country:US

Phone:803-879-7100/803-297-4246

CAGE:EZEPR

Company Name:INTEX CHEMICAL INC

Address:122 EDINBURG CT

Box:6648

City:GREENVILLE

State:SC

ZIP:29606-6648

Country:US

Phone:803-879-7100 OR 803-297-4246

CAGE:78304

=====
Composition/Information on Ingredients
=====

Ingred Name:GAS OIL, BLEND *94-3*

CAS:64741-44-2

RTECS #:LX3296000

Frac

tion by Wt: 80-85%
OSHA PEL:500 PPM
ACGIH TLV:5 MG/CUM

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: IRRITATION, BURNING. SKIN:
IRRITATION/BURNING W/PROLONGED CONTACT. INHALATION: IRRITATION OF
UPPER RESPIRATORY TRACT. INGESTION: HARMFUL/FATAL.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, BU
RNS, REDNESS, HEADACHE,
DIZZINESS, NAUSEA, VOMITING, DIARRHEA

=====
First Aid Measures
=====

First Aid:EYES: WASH W/PLENTY OF WATER FOR 15 MINS. SKIN: WASH W/SOAP &
PLENTY OF WATER. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF
NECESSARY. INGESTION: DON'T INDUCE VOMITING, GIVE WATER TO CAUSE
DILUTION IN STOMACH. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Flash Point Metho
d:TCC
Flash Point:152F
Extinguishing Media:CO2, WATER FOG, FOAM
Fire Fighting Procedures:USE APPROPRIATE METHOD FOR FIRE SOURCE.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:CONTAIN MATERIAL. ELIMINATE ANY IGNITION
SOURCE. SMALL: ABSORB W/SAND, DIRT/CLAY. LARGE: MAY BE PUMPED INTO
CONTAINERS FOR RECOVERY FOR DISPOSAL.
Neutralizing Agent:SULFURIC ACID.

=====
Handling and Storage
=====

=====

Handling and Storage Precautions:WEAR EYE PROTECTION. STORE DRUMS IN A COOL, DRY PLACE, BUNG UP & CLOSED TIGHTLY. USE W/ADEQUATE VENTILATION. FOR INDUSTRIAL USE ONLY.

Other Precautions:KEEP OUT OF REACH OF CHILDREN. DON'T GET IN EYES. AVOID PROLONGED SKIN CONTACT. AVOID BREATHING VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. USE NIOSH APPROVED DUST MASK IF WORKING IN A MIST.

Ventilatio

n:ADEQUATE-LOCAL

Protective Gloves:RUBBER/NEOPRENE

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:SAFETY GLASSES W/SIDE SHIELDS, IMPERVIOUS CLOTHING, EYE WASH STATION, SAFETY SHOWER, WASHING FACILITIES SYNTHETIC APRON.

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING & SHOES BEFORE REUSE. WASH HANDS W/SOAP & WATER AFTER HANDLING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>3

70F

Spec Gravity:0.78

Solubility in Water:EMULSIFIES

Appearance and Odor:CLEAR LIQUID W/SOLVENT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING/REDUCING AGENTS

Stability Condition to Avoid:EXTREME TEMPS.

Hazardous Decomposition Products:OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods:LARGE: PUMP INTO RECOVERY DRUMS. NEUTRALIZE USING A DILUTE ACI

D LIKE SULFURIC TO A PH RANGE OF 6-9. WASTE MAY
BE INCINERATED. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek
competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.