

GAS TECH INC -- HEXANE IN AIR -- 6665-01-370-5575

=====
Product Identification
=====

Product ID:HEXANE IN AIR
MSDS Date:12/30/1992
FSC:6665
NIIN:01-370-5575
MSDS Number: BWNRN
=== Responsible Party ===
Company Name:GAS TECH INC
Address:8407 CENTRAL AVE
City:NEWARK
State:CA
ZIP:94560-3431
Country:US
Info Phone Num:510-794-6200
Emergency Phone Num:510-794-6200
CAGE:FO148
=== Contractor Identificatio
n ===
Company Name:GAS TECH INC
Address:8445 CENTRAL AVE
City:NEWARK
State:CA
ZIP:94560-3431
Country:US
Phone:415-794-6200
CAGE:FO148
Company Name:GAS TECH INC. JOHNSON INSTRUMENT DIV
Address:8445 CENTRAL AVE
Box:City:NEWARK
State:CA
ZIP:94560-3431
Country:US
Phone:510-794-6200
CAGE:51906

=====
Composition/Information on Ingredients
=====

Ingred Name:HEXANE (N-HEXANE)
CAS:110-54-3
RTECS #:MN9275000
Fraction by Wt: 0.44%
OSHA PEL:500 PPM
ACGIH TLV:50 PPM
EPA Rpt Qty:1 LB
DOT R

pt Qty:1 LB

Ingred Name:AIR, COMPRESSED; (AIR)

CAS:25635-88-5

Fraction by Wt: 99%+

OSHA PEL:N/K

ACGIH TLV:N/K

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:LIGHT HEADED, NAUSEA, NUMBNESS
IN EXTREMITIES, MUSCLE WEAKNESS, EYES AND NOSE IRRITATION,
DERMATITIS, CHEMICAL

PNEUMONIA, GIDDINESS. CHRONIC:NONE IDENTIFIED.

TARGET ORGANS:SKIN, EYES, RESPIRATORY SYSTEM.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE IDENTIFIED

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15
MINUTES . SKIN:FLUSH WITH COPIOUS AMOUNTS OF WATER. CALL MD
IMMEDIATELY . INGEST:CALL MD IMMEDIATELY . INHAL:PROVIDE

FRESH AIR

OR OXYGEN AND CONSULT PHYSICIAN.

=====
===== Fire Fighting Measures =====

Extinguishing Media:USE METHODS APPROPRIATE TO SURROUNDING FIRE .

Fire Fighting Procedures:NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE
EQUIPMENT .

Unusual Fire/Explosion Hazard:COMPRESSED GAS CYLINDERS MAY EXPLODE IN
HEAT OF FIRE. WITHDRAW IMMEDIATELY IN CASE OF RISING SOUND FROM
VENTING SAFETY DEVICE.

=====
===== Accidental Release Measures =====

=====

Spill Release Procedures:EVACUATE AND VENTILATE AREA.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE SAFE HANDLING PRACTICES FOR THE HANDLING OF COMPRESSED GAS CYLINDERS. DO NOT PUNCTURE.
Other Precautions:STORE IN A COOL, DRY AREA. USE SAFE STORAGE PRACTICES FOR THE STORAGE OF COMPRESSED GAS CYLINDERS. EXPOSURE TO TEMPERATURES ABOVE 150F MAY OPERATE EXCESS-PRESSURE V ALVE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NECESSARY. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .
Ventilation:RECOMMENDED.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Vapor Density:1.0
Solubility in Water:SLIGHT
Appearance and Odor:COLORLESS, MAY HAVE SLIGHT "GASOLINE-LIKE" ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS, OIL IN HIGH PRESSURE EQUIPMENT.
Stability Condition to Avoid:NONE IDENTIFIED.
Hazardous Decomposition Products:NONE IDENTIFIED

===== Disposal Considerations =====

Waste Di

Disposal Methods:EMPTY CONTAINERS MAY BE DISCARDED AS METAL
REFUSE, OBSERVING FEDERAL, STATE, AND LOCAL REGULATIONS. DO NOT
INCINERATE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.