

FOAM SEAL INC, DBA NOVAGARD -- G-641 -- 6850-00-927-9461

=====  
Product Identification  
=====

Product ID:G-641  
MSDS Date:06/07/1994  
FSC:6850  
NIIN:00-927-9461  
MSDS Number: BWPDY  
=== Responsible Party ===  
Company Name:FOAM SEAL INC, DBA NOVAGARD  
Address:2720 E 79TH ST  
City:CLEVELAND  
State:OH  
ZIP:44104  
Country:US  
Info Phone Num:800 626-6527  
Emergency Phone Num:800 626-6527  
Preparer's Name:JASON E. BAR  
NES  
CAGE:MO265  
=== Contractor Identification ===  
Company Name:FOAM SEAL INC DBA NOVAGARD  
Address:5109 HAMILTON AVENUE  
Box:City:CLEVELAND  
State:OH  
ZIP:44114-3907  
Country:US  
Phone:800-626-6527/216-881-8111  
CAGE:00CE9  
Company Name:FOAM SEAL INC, DBA NOVAGARD  
Address:2720 E 79TH ST  
Box:City:CLEVELAND  
State:OH  
ZIP:44104  
Country:US  
Phone:800 626-6527  
CAGE:MO265

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLY (DIMETHYLSILOXANE)  
CAS:63148-62-9  
RTECS #:JJ6484500  
Fr

action by Wt: 10-30%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ZINC OXIDE  
CAS:1314-13-2  
RTECS #:ZH4810000  
Fraction by Wt: 70-90%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9394

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:CONTACT WITH THE  
EYES MAY CAUSE  
TEMPORARY IRRITATION.  
Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS  
LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.  
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INGESTION- GET PROMPT MEDICAL ATTENTION. SKIN- WASH  
CONTACTED AREAS WITH SOAP AND WATER. EYES- FLUSH WITH COPIOUS  
AMOUNTS  
OF WATER FOR A MINIMUM OF 15 MINUTES. IF IRRITATION  
DEVELOPS CONTACT A PHYSI CIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:>260F,>127C  
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED  
CONTAINERS WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:COMBUSTION OR

HEAT OF FIRE MAY PRODUCE  
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN  
MATERIAL FOR DISPOSAL  
Neutralizing Agent:NONE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN TEMPERATURES BELOW 100F.  
KEEP CONTAINER CLOSED WHEN NOT IN USE.  
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATORY PROTECTION WILL NOT NORMALLY BE  
REQUIRED.

Ventilation:NORMAL ROOM VENTILATION IS NORMALLY SUFFICIENT.

Protective Gloves:CLOTH

Eye Protection:SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:NONE KNOWN.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1

Boil

ing Pt:B.P. Text:>572F,>300C

Vapor Pres: