

EASTMAN KODAK COMPANY -- 808 7827 MONOCOMPONENT A TONER -- 6850-01-264-8523
===== Product Identification =====

Product ID:808 7827 MONOCOMPONENT A TONER

MSDS Date:04/12/1995

FSC:6850

NIIN:01-264-8523

MSDS Number: BWQCV

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 MSDS :800- 242-2424

Em

ergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:POLYESTER

Fraction by Wt: 50-55%

Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE

CAS:1317-61-9

Fraction by Wt: 35-40%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:10 MG/M3
ACGIH TLV:5 MG/M3

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 >3200MG/KG.
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL:EXPECTED TO BE LOW HAZ FOR
RECOMMENDED HANLDING. EYE:NO SPECIFIC HAZ KNOWN. MAY CAUSE
TRANSIENT IRRIT. SKIN:EXPECTED TO BE LOW HAZ FOR RECOMMENDED
HANDLING. INGEST:EXPECTED TO BE LOW INGESTION H
AZ.
Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY
CLASSIFICATION:IARC/ACGIH/NTP/OSHA:NONE.
Effects of Overexposure:TRANSIENT EYE IRRIT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHAL:IF SYMPTOMATIC MOVE TO FRESH AIR.GET MED ATTN IF
SYMPTOMS PERSIST. EYE:ANY MATL THAT CONTACTS EYE SHOULD BE WASHED
OUT IMMED W/WATER.GET MED ATTN IF SYMPTOMS OCCUR. SKIN:WASH
W/SOAP/W
ATER.GET ME D ATTN IF SYMPTOMS OCCUR. INGEST:DRINK 1-2
GLASSES OF WATER.SEEK MED ATTN.

=====
===== Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY, CARBON DIOXDIE (CO2), DRY CHEMICAL.
Fire Fighting Procedures:NONE.
Unusual Fire/Explosion Hazard:POWDERED MATL AMY FORM EXPLOSIVE DUST-AIR
MIXTURES.

=====
===== Accidental Release Measures =====

Spill Release Procedures:DO NOT USE VACUUM CLEANER TO CLEAN UP SPILLS
OF POWDE
RED TONERS. THE VERY FINE PARTICLES CAN CAUSE
FIRE/EXPLOSION. SWEEP MATL ONTO PAPER & PLACE IN FIBER CARTON.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID BREATH DUST.USE W/ADEQUATE
VENTILATION.KEEP FROM CONTACT W/OXIDIZING MATLS.KEEP CONTAINER
CLOSED.
Other Precautions:REFER:NFPA PAMPHLET#654"PREVENTION OF FIRE/DUST EXPLO
IN CHEM,DYE,PHARMAC,PLASTIC INDUSTRIES".MATL

HAS NOT BEEN TESTED

FOR ENVIRO EFFECTS.SPILL SITUATION MATL MAY BE VISUALLY UNPLEASANT
HOWEVER NOT EX PECTED TO CAUSE ANY ADVERSE ENVIRO EFFEC

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:GOOD VENTILATION (TYPICALLY 4-6 ROOM VOLUMES/HR) SHOULD BE
USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:FOOLOW GOOD INDUSTRIAL HYGIENE PRACTICES

Other Pr

otective Equipment:WASHING FACILITIES.

Work Hygienic Practices:WASH THOROUGHLY AFTER HNDLG.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:N1

Vapor Pres:NEGLIGIBLE

Vapor Density:NEGLIGIBLE

Evaporation Rate & Reference:NEGL,N-BUTYL ACETATE=1

Solubility in Water:NEGLIGIBLE.

Appearance and Odor:SOLID (POWDER), BLACK COLOR, SLIGHT ODOR.

Percent Volatiles by Volume:NELGIG

=====
===== Stability and Reactivity Data =====

=

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:MINIMIZE DUST GENERATION & ACCUMULATION.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE.

=====
===== Disposal Considerations =====

Waste Disposal Methods:CAN BE INCINERATED WHEN IN COMPLIANCE W/LOC
REGS.CONTRACT W/LICENSED CHEM DISPOSAL

AGENCY.DISCHARGE/TREATMENT/DISPOSAL MAY BE SUBJECT TO NAT/STATE/LOC
LAWS.CHEM SUBJ TO REPRORTING REQMTS S

EC 313 TITLE III SARA/40CFR
PART 372:NONE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.