

GRIGGS PAINT -- TT-P-1952D, TY I, WHITE 700W47 -- 8010-01-017-1512

=====
Product Identification
=====

Product ID:TT-P-1952D, TY I, WHITE 700W47

MSDS Date:01/01/1994

FSC:8010

NIIN:01-017-1512

MSDS Number: BWSTR

=== Responsible Party ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

City:PHOENIX

State:AZ

ZIP:85040

Country:US

Info Phone Num:602-243-3293

Emergency Phone Num:800-424-9300 CHEMTRE

C

Preparer's Name:ROBERT COMMISSO

CAGE:DO312

=== Contractor Identification ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

Box:City:PHOENIX

State:AZ

ZIP:85040

Country:US

Phone:602-243-3293

CAGE:58963

Company Name:GRIGGS PAINT

Address:3602 S 16TH PL

City:PHOENIX

State:AZ

ZIP:85040-1319

Phone:602-243-3293

CAGE:DO312

=====
Composition/Information on Ingredients
=====

Ingred Name:ACRYLIC POLYMER PLUS PROPRIETARY ADDITIVES

Fraction by Wt: 25%

Other REC Limits:NONE RECOMMEN

DED

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 10%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3

ACGIH TLV:5 MG/M3

Ingred Name:METHANOL (SARA 313) (CERCLA) (VAPOR PRESSURE 5.9 MM HG @ 68F)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 1%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:VOC: 0.37 LB/GL (44 G/L)

RTECS #:9999999VO

Other REC Limits:NONE RECOMMENDED

=====
Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN, NOSE, THROAT, AND RESPIRATORY

IRRITATION MAY RESULT FROM OVEREXPOSURE.

Effects of Overexposure:INHALATION: IRRITATION OF NOSE, THROAT & RESPIRATORY TRACT. HEADACHES & NAUSEA MAY ALSO OCCUR. SKIN & EYE: PROLONGED OR REPEATED CONTACT MAY CAUSE SKIN IRRITATION. DIRECT CONTACT MAY RESULT IN EYE IR

RITATION. INGESTION: INGESTION MAY

CAUSE IRRITATION AND DAMAGE TO MUCOUS MEMBRANES.

Medical Cond Aggravated by Exposure:NONE KNOWN

=====
First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR & GIVE ARTIFICIAL RESPIRATION OR OXYGEN IF NEEDED. CALL A PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN. EYE CONTACT: FLUSH EYES WITH WATER FOR 15 MINUTES. CALL A PHYSICIAN. SKIN CONTACT: WASH SKIN WITH SOAP AND WATER

. CALL A PHYSICIAN. SKIN CONTACT: WASH SKIN WITH SOAP AND WATER. CALL A PHYSICIAN IF IRRITATION PERSISTS.

=====
Fire Fighting Measures
=====

Autoignition Temp:Autoignition Temp Text:775 F
Lower Limits:7.3
Extinguishing Media:NONE KNOWN. * 9.5
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:PRODUCT WILL NOT BURN BUT MAY SPATTER IF TEMPERATURE EXCEEDS BOILING POINT. POLYMER FILMS ARE CAPABLE OF BURNING, GIVING OFF OXIDES OF CARBON/NITRO GEN.

=====
Accidental Release Measures
=====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. DIKE AND CONTAIN SPILL WITH INERT MATERIAL. TRANSFER LIQUID TO CONTAINERS. KEEP SPILLS AND RUNOFFS OUT OF MUNICIPAL SEWERS AND OPEN BODIES OF WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID FREEZING. AVOID CONTACT WITH MICROORGANISMS. KEEP CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions:CAUTION - MAY BE HARMFUL IF SWALLOWED. BREATHING VAPOR OR MIST MAY BE HARMFUL. USE WITH ADEQUATE VENTILATION. AVOID EYE AND SKIN CONTACT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF EXPOSURE EXCEEDS PERMISSIBLE EXPOSURE LIMITS, USE APPROPRIATE NIOSH APPROVED RESPIRATORY EQUIPMENT.
Ventilation:LOCAL EXHAUST RECOMMENDED. MECHANICAL VENTILATION RECOMMENDED.
Protective Gloves:IMPERMEABLE GLOVES TO MINIMIZE CONTACT.
Eye Protection:CHEM SPLSH GOGGLES,SFTY GLASSES,FACESHLD
Other Protective Equipment:EYE WASH FOUNTAIN, SAFETY SHOWER
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:N1
Boiling Pt:B.P. Text:147 TO 212F
Vapor Density:> AIR
Spec Gravity:1.7 (WATER=1)
pH:9.2- *
Viscosity:80 - 90 KU
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:100%
Appearance and Odor:BLUE VISCOUS LIQUID WITH SLIGHT AMMONIA ODOR
Percent Volatiles by Volume:3

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid: YES

NONE KNOWN

Stability Condition to Avoid: FREEZING TEMPERATURES

Hazardous Decomposition Products: NONE KNOWN

Conditions to Avoid Polymerization: FREEZING TEMPERATURES

=====
Disposal Considerations
=====

Waste Disposal Methods: OBEY RELEVANT LOCAL, STATE, AND FEDERAL LAWS. DO NOT CONTAMINATE ANY LAKES, PONDS, STREAMS, OR UNDERGROUND WATER SUPPLI

ES. TREAT AS HAZARDOUS WASTE. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.