

FOX PACKAGING INC -- FOX WINDSHIELD WASH -- 6850-00-926-2275

=====
Product Identification
=====

Product ID:FOX WINDSHIELD WASH

MSDS Date:11/22/1988

FSC:6850

NIIN:00-926-2275

MSDS Number: BWXRS

=== Responsible Party ===

Company Name:FOX PACKAGING INC

Address:51 E MARYLAND AVE

City:ST PAUL

State:MN

ZIP:55117-4615

Country:US

Info Phone Num:612-489-8211

Emergency Phone Num:612-489-8211

CAGE:FOXXP

===

Contractor Identification ===

Company Name:FOX PACKAGING INC

Address:51 E MARYLAND AVE

City:ST PAUL

State:MN

ZIP:55117-4615

Country:US

Phone:612-489-8211

CAGE:FOXXP

=====
Composition/Information on Ingredients
=====

Ingred Name:METHANOL (METHYL ALCOHOL), COLUMBIAN SPIRITS *95-1*

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 25-37%

Other REC Limits:200 PPM

OSHA PEL:260 MG/CUM

ACGIH TLV:262 MG/CUM (SKIN)

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:WATER

CAS:7732-

18-5
RTECS #:ZC0110000
Fraction by Wt: 64-73%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE DEATH. IRRITATING TO EYES &
MUCOUS MEMBRANES. SKIN: MAY CAUSE IRRITATION & DERMATITIS. CAN BE
ABSORBED. REPEATED EXPOSURE BY INHALATION/ABSORPTION MAY CAUSE
SYSTEMIC POISONING.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, BLINDNESS, NARCOSIS, HEADACHE,
NAUSEA, VOMITING, DEFATTING, DRYING.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER.
INHALATION: REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEEDED.
INGESTION: INDUCE VOMITING IF CONSCIOUS. OBTAIN MEDICAL ATTENTION
IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:
91F
Lower Limits:5.5
Upper Limits:36.5
Extinguishing Media:CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:WEAR A NIOSH APPROVED SELF CONTAINED BREATHING
APPARATUS & PROTECTIVE EQUIPMENT. COOL FIRE-EXPOSED CONTAINERS
W/WATER.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES. WEAR APPROPRIATE
RESPIRATOR & OTHER PROTECTIVE CLOTHING. LARGE: DIKE & CONTAIN.
REMOVE W/VACUUM TRUCKS/PUMP TO STORAGE/SALVAGE VESSELS

. SOAK UP

RESIDUE/SMALL W/NONCOMBUSTIBLE ABSORBENT & PLACE IN DRUMS FOR DISPOSAL. (SUPP)

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. DON'T STORE NEAR HEAT, SPARKS, FLAME/OXIDIZING MATERIALS.

Other Precautions:VAPORS ARE HEAVIER THAN AIR & WILL COLLECT IN LOW PLACES. GROUND ALL CONTAINERS WHEN TRANSFERRING LIQUID. USE NON-SPARKING TOOLS.

=====
===== Exposure Controls/Personal Protection ===

Respiratory Protection:WEAR A NIOSH APPROVED RESPIRATOR IF CHANCE OF OVEREXPOSURE.

Ventilation:EXPLOSION-PROOF VENTILATION TO MAINTAIN VAPOR CONCENTRATION