

CANON U S A INC -- CANON STARTER FOR CLC 200/300 BLACK -- 6850-01-353-4462

=====  
Product Identification  
=====

Product ID:CANON STARTER FOR CLC 200/300 BLACK

MSDS Date:05/01/1991

FSC:6850

NIIN:01-353-4462

MSDS Number: BWZNQ

=== Responsible Party ===

Company Name:CANON U S A INC

Address:ONE CANON PLAZA

City:LAKE SUCCESS

State:NY

ZIP:11040-1113

Country:US

Info Phone Num:516-488-6700/516-328-5600

Emer

gency Phone Num:516-488-6700/800-424-9300(CHEMTREC)

CAGE:1BA63

=== Contractor Identification ===

Company Name:AUTOMATION AIDS INC (800-234-2790)

Address:420 BABYLON RD, SUITE B

Box:UNKNOW

City:HORSHAM

State:PA

ZIP:19044

Country:US

Phone:800-817-4448

CAGE:01QM9

Company Name:CANON USA INC

Address:ONE CANON PLZ

Box:City:NEW HYDE PARK

State:NY

ZIP:11042

Country:US

Phone:516-328-5000; 5600

CAGE:08YZ7

Company Name:CANON USA INC

Address:ONE CANON PLAZA

Box:City:LAKE SUCCESS

State:NY

ZIP:11042

Country:U

S

Phone:516-328-5600

CAGE:1BA63

Company Name: MOUNT-LOK PRODUCTS INC (516-759-5250)

CAGE:55482

=====  
Composition/Information on Ingredients  
=====

Ingred Name: BISPHENOL A PROPYLENE OXIDE FUMARATE

CAS:39382-25-7

Fraction by Wt: 85-95%

Other REC Limits: NONE RECOMMENDED

Ingred Name: PIGMENT

Fraction by Wt: 3-10%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SALICYLIC ACID CHELATE

CAS:72869-85-3

Fraction by Wt: 1-3%

Other REC Limits: NONE RECOMMENDED

=====  
Hazards  
=====

Identification =====

LD50 LC50 Mixture: TLV FOR TOTAL DUST IS 10MG/M3 TWA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: NO

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic: LOW HAZARD FOR EXPECTED

HANDLING: EYES: MAY CAUSE IRRITATION. SKIN: MAY CAUSE

IRRITATION. INGEST: MAY CAUSE GI TRACT IRRITATION. LD50 ORAL RAT IS

>5G/KG. INHAL: MAY CAUSE RESPIRATORY IRRITATION.

Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1%

WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA.

Effects of Overexposure: EYES: IRRITATION.

Medical Cond Aggravated by Exposure: UNLIKELY TO AGGRIVATE EXISTING  
MEDICAL CONDITIONS.

=====  
First Aid Measures  
=====

First Aid: SKIN: REMOVE CONTAMINATED CLOTHING; WASH WITH SOAP AND  
WATER. EYES: FLUSH WITH WATER FOR 15 MINUTES. INHAL: REMOVE TO FRESH  
AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. INGEST: DO NOT  
INDUCE VOMITING. GET PROMPT QUAL

IFIED MEDICAL ATTENTION.IF  
CONSCIOUS,DRINK SEVERAL GLASSES OF WATER.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Lower Limits:NOT GIVEN  
Upper Limits:NOT GIVEN  
Extinguishing Media:WATER FOG,DRY CHEMICAL,CARBON DIOXIDE  
Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND  
FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER  
FOG.  
Unusual Fire/Explosion Hazard:NON-FLAMMABLE SOLID THE FINELY DISPURSED  
DUST FROM T  
HIS PRODUCT IS A FIRE OR EXPLOSION HAZARD IN THE  
PRESENCE OF SOURCES OF IGNITION.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:VENTILATE AREA.USE PROPER PROTECTIVE AND  
RESPIRATORY EQUIPMENT.SWEEP OR VACUUM;DO NOT CREATE DUST;PLACE IN A  
DRY FIBER CONTAINER FOR DISPOSAL.CLEAN SPILL AREA WITH WATER.  
Neutralizing Agent:NOT APPLICABLE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:ST  
ORE BELOW 104F IN A COOL,DRY,WELL-  
VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY  
FROM OXIDIZING MATERIALS.  
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NOT NEEDED IN NORMAL SERVICE.  
Ventilation:USE GENERAL DILUTION VENTILATION.  
Protective Gloves:NOT NEEDED IN NORMAL SERVICE.  
Eye Protection:NOT NEEDED IN NORMAL SERVICE.  
Other Protective Equipment:HMIS SUGGESTS TO USE IMPERVI  
OUS GLOVES AND  
DUST PROOF GOGGLES IN BULK HANDLING OPERATIONS.  
Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS  
PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

=====  
Physical/Chemical Properties  
=====

HCC:N1  
Boiling Pt:B.P. Text:NOT GIVEN  
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN  
Decomp Temp:Decomp Text:NOT GIVEN  
Vapor Pres:NEGLIGIBLE  
Vapor Density:NOT GIVEN  
Spec Gravity:1.0 - 1.2  
Evapora

tion Rate & Reference: NEGLIGIBLE  
Solubility in Water: NEGLIGIBLE  
Appearance and Odor: FINE POWDER, SLIGHT ODOR  
Percent Volatiles by Volume: NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
STRONG OXIDIZING AGENTS.  
Stability Condition to Avoid: DUSTING + SOURCES OF IGNITION.  
Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:  
DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND  
LOCAL REGULATIONS. MFR STATES THAT THIS ITEM MAY BE CLASSIFIED AS  
PLASTIC WASTE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should see  
k competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.