

TEXACO REFINING AND MARKETING INC. -- 02109 URSA SUPER PLUS SAE 15W-40 --  
9150-01-351-9018

===== Product Identification =====

Product ID:02109 URSA SUPER PLUS SAE 15W-40  
MSDS Date:01/01/1995  
FSC:9150  
NIIN:01-351-9018  
MSDS Number: BWZSS  
=== Responsible Party ===  
Company Name:TEXACO REFINING AND MARKETING INC.  
Address:1111 RUSK STREET  
Box:4427  
City:HOUSTON  
State:TX  
ZIP:77002-3310  
Country:US  
Info Phone Num:713-650-5206  
Emergency Phone Num:713-650-5206, CHEMTREC 800-424-9300  
Preparer's Name:MANAGER, PRODUCT SAFETY  
CAGE:2R503

=== Contractor Identification ===

Company Name:TEXACO REFINING AND MARKETING INC  
Address:1111 RUSK ST  
Box:City:HOUSTON  
State:TX  
ZIP:77002-3310  
Country:US  
Phone:713-650-5206  
CAGE:2R503

===== Composition/Information on Ingredients =====

Ingred Name:SEVERELY SOLVENT REFINED, SOLVENT DEWAXED HEAVY PARAFFINIC  
PETROLEUM DISTILLATES  
CAS:64742-65-0  
RTECS

#:PY8038500  
Fraction by Wt: 80-95%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:ALKENYLSUCCINIMIDE DISPERSANT  
Fraction by Wt: 3-10%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:DIALKYLDITHIOPHOSPHORIC ACID, ZINC SALT  
CAS:84605-29-8  
Fraction by Wt: 0.1-0.9%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ZINC DITHIOPHOSPHATE (ZINC 0,0-BISISODECYL DITHIOPHOSPHATE)  
CAS:25103-54-2  
Fraction by Wt: 0.1-0.9%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5000 MG/KG  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: INHALATION OF HIGH  
CONCENTRATIONS MAY CAUSE RESPIRATORY IRRITATION, HEADACHE & NAUSEA.  
CONTACT WITH SKIN & EYES MAY CAUSE IRRITATION. INGESTION MAY CAUSE  
GI TRACT IRRITATION. CHRONIC: NO ADVERS E EFFECTS HAVE BEEN  
DO  
CUMENTED IN HUMANS AS A RESULT OF CHRONIC EXPOSURE.  
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%  
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.  
Effects of Overexposure:INHALED-HEADACHE, NAUSEA, IRRITATION OF NOSE &  
THROAT, DROWSINESS. INGESTED-ABDOMINAL DISCOMFORT, NAUSEA,  
DIARRHEA. EYES-TEMPORARY DISCOMFORT. SKIN-LOCAL REDNESS, SWELLING.  
Medical Cond Aggravated by Exposure:REPEATED SKIN CONTACT MAY AGGRAVATE  
AN EXISTING DERMATITIS.

=====

===== First Aid Measures =====

First Aid:EYES-FLUSH WITH LOTS OF WATER FOR SEVERAL MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN-WASH SKIN WITH PLENTY OF SOAP & WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTED-IF C ONSCIOUS, GIVE 2 GLASSES OF WATER. GET MEDICAL ATTENTION. INHALED-IF SYMPTOMS OCCUR, REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF BREATHING BECOMES DIFFICULT OR RESPIRAATORY IRRITATION PERSISTS.

==

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>435F,>224C

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, FOAM. WATER OR FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL FIRE EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard:HYDROGEN SULFIDE MAY BE RELEASED WHEN OVERHEATED.

===== Accidental Release Measures =====

=====

Spill Release Procedures:VENTILATE AREA. AVOID BREATHING VAPOR. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT, INCLUDING RESPIRATORY. CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL & SHOVEL UP. PREVENT ENT RY INTO SEWERS & WATERWAYS. AVOID CONTACT. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD B

E MINIMIZEDWATER CONTAMINATION SHOULD BE

AVOIDED.MINIMUM FEASIBLE HANDLING TEMPS SHOULD BE MAINTAINED

Other Precautions:WHEN OVERHEATED, PRODUCT MAY RELEASE HYDROGEN SULFIDE GAS. HYDROGEN SULFIDE CONCENTRATIONS ABOVE PERMISSABLE CONCENTRATIONS CAN CAUSE IRRITATION OF EYES & RESPIRATORY TRACT, HEADACHE, DIZZINESS, NAUSE A, VOMITING, DIARRHEA, PULMONARY EDEMA.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL O

R NON-ROUTINE USE

OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134 AND MANUFACTURER'S RECOMMENDATIONS.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:SAFETY GLASSES/GOGGLES/FACESHIELD.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:

WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

MORE ABOUT HYDROGEN SULFIDE: AT CONCENTRATIONS ABOVE 300 PPM, RESPIRATORY PARALYSIS, CAUSING UNCONSCIOUSNESS AND DEATH MAY OCCUR.

EPA NOTES: SARA 302/304: NONE; SARA 311: NONE/N/R; SARA 313:

DIALKYLDI THIOPHOSPHORIC ACID, ZINC SALT, CAS# 84605-29-8,

0.1-0.99%; ZINC DITHIOPHOSPHATE, CAS# 25103-54-2, 0.1-0.99%

===== P  
Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.88

Viscosity:110 CST @ 40C

Appearance and Odor:PALE LIQUID; MINERAL OIL ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:AVOID EXTREME TEMPERATURES OR EXTENDED STORAGE PERIODS-HYDROGEN SULFIDE MAY ACCUMULATE IN HEAD-SPACE OF CONTAINER.

Hazardous Decomposition Products:TOXIC LEVELS OF CARBON MONOXIDE,

CARBON DIOXIDE, IRRITATING ALDEHYDES, KETONES & COMBUSTION PRODUCTS/CMDS OF SULFUR.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:THIS PRODUCT HAS BEEN EVALUATED FOR RCRA CHARACTERISTICS AND DOES NOT MEET THE CRITERIA OF A HAZARDOUS WASTE IN ITS PURCHASED FORM. UNDER RCRA, IT IS THE RESPONSIBILITY OF THE PURCHASER TO DETERMINE AT DISPOSAL, WHETHER PRODUCT MEETS RCRA CRI

TERIA.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.