

VAPONICS INC -- IONAC NM-60 -- 4330-00-005-5030

=====  
Product Identification  
=====

Product ID:IONAC NM-60

MSDS Date:12/13/1991

FSC:4330

NIIN:00-005-5030

MSDS Number: BXBVN

=== Responsible Party ===

Company Name:VAPONICS INC

Address:20 RESERVOIR PARK DR

City:ROCKLAND

State:MA

ZIP:02370

Country:US

Info Phone Num:617-982-9900

Emergency Phone Num:617-982-9900

CAGE:34203

=== Contractor Identification

===

Company Name:VAPONICS INC

Address:20 RESERVOIR PARK DR

Box:City:ROCKLAND

State:MA

ZIP:02370

Country:US

Phone:617-982-9900

CAGE:34203

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIETHENYL BENZENE POLYMER WITH ETHENYLBENZENE AND ETHYL  
ETHENYLBENZENE, SULFONATED (HYDROGEN FORM)

CAS:69011-20-7

Fraction by Wt: 20-30%

Other REC Limits:NONE RECOMMENDED

Ingred Name:DIETHENYLBENZENE POLYMER W/ETHENYLBENZENE &  
ETHENYLETHYLBENZENE CHLOROMETHYLATED TRIMETH

YLAMINE QUARTERNIZED  
HYDROXIDE

CAS:69011-18-3

Fraction by Wt: 15-30%

Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZE2625000

Fraction by Wt: 50-60%

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:CAN PRODUCE MECHANICAL  
IRRITATION TO EYES. CAUSE SKIN IRRITATION

OF HYPERSENSITIVE

PERSONNEL. CHRONIC:SAME AS ABOVE.

Explanation of Carcinogenicity:PER MFG'S MSDS CARCINOGENIC RESULTS NOT  
DETERMINED FOR PRODUCT.

Effects of Overexposure:RED, IRRITATED EYES, ITCHING AND FEELING THAT A  
PARTICLE EXISTS BETWEEN THE EYELID AND EYE. SKIN:REDNESS, ITCHING,  
DISCOMFORT.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:FLUSH EYES AND SKIN W/COPIOUS QUANTIT  
IES OF WATER FOR 15MIN.

IF IRRITATION PERSISTS, SEE DOCTOR.

=====  
===== Fire Fighting Measures =====

Flash Point:N/D

Autoignition Temp:Autoignition Temp Text:>500C

Lower Limits:N/D

Upper Limits:N/D

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL OR WATER FOG.

Fire Fighting Procedures:WEAR MSHA/NIOSH APPROVED PRESSURE DEMAND,  
SELF-CONTAINED BREATHING APPARATUS. GUARD AGAINST CONTACT OF  
PRODUCT W/EYES DURING SALVAGE OPERATION.

Unusual Fire/Explosion Hazar

d:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP AREA OF PRODUCT, COLLECTING IN A CONTAINER FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID FREEZING OR PROLONGED STORAGE ABOVE 50C (PRODUCT CONTAINS WATER WHICH WILL FREEZE OR DRY OUT DAMAGING PRODUCT).

Other Precautions:PRODUCT HAS A TENDENCY TO CLING TO SKIN DUE TO STATIC

CHARGE. CARE MUST BE EXERCISED TO REMOVE ALL PRODUCT FROM SKIN. PRODUCT CAUSES AREAS TO BECOME EXTREMELY SLIPPERY WHEN SPILLED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SPLASH GOGGLES

Other Protective Equipment:LONG SLEEVE SHIRTS AND LONG TROUSERS TO PREVENT SKIN CONTACT.

Work Hygienic Practices:FLUSH PRODUCT FROM HANDS W/SOAPY WATER. AVOID EYE CONTACT TIL HANDS ARE CLEANED.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:N/D

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Decomp Temp:Decomp Text:>399F,>204C

Vapor Pres:17

Vapor Density:0.62,WATER

Spec Gravity:1.2

pH:6-9

Evaporation Rate & Reference:1 (WATER=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:SOLID, SPHERICAL BEADS WITH SLIGHTLY FISHY ODOR.

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS SUCH AS NITRIC ACID.

Stability Condition to Avoid: TEMPERATURES ABOVE 204C DECOMPOSITION OCCURS. EXPLOSIVE REACTIONS CAN OCCUR IN PRESENCE OF STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, STYRENE, DIVINYLBENZNE.

===== Disposal Considerations =====

Waste Disposal Methods: AS SUPPLIE

D, NEW OR USED ION EXCHANGE RESINS

GENERALLY ARE NOT HAZARDOUS & THEREFORE ARE NOT CONSIDERED AS HAZARDOUS WASTES. USED RESINS MAY MEET REGULATORY DEFINITION OF HAZARDOUS WASTES AS A RESULT OF THEIR SERVICE. DISPOSE IAW FED/STATE/LOCAL LAWS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.