

KYOCERA UNISON INC -- ORGANIC PHOTOCONDUCTOR -- 7025-01-296-3594

=====  
Product Identification  
=====

Product ID:ORGANIC PHOTOCONDUCTOR

MSDS Date:03/14/1990

FSC:7025

NIIN:01-296-3594

MSDS Number: BXBRN

=== Responsible Party ===

Company Name:KYOCERA UNISON INC

Address:1321 HARBOR BAY PKY

City:ALAMEDA

State:CA

ZIP:94501

Country:US

Info Phone Num:415-748-6670

Emergency Phone Num:415-748-6670

CAGE:OCVX8

=== Contractor Identification ===

Company Name:KYOCERA CORP

Address:1321 HARBOR BAY PARKWAY

Box:City:ALAMEDA

State:CA

ZIP:94501

Country:US

Phone:415-748-6680

CAGE:0CVX8

Company Name:KYOCERA UNISON INC

Address:1321 HARBOR BAY PARKWAY

City:ALAMEDA

State:CA

ZIP:94501

Phone:(415) 748-6680

CAGE:OCVX8

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ALUMINUM (SARA III)

CAS:7429-90-5

RTECS #:BD0330000

Fraction by Wt: 97%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15M

G/M3 DUST/5 FUME  
ACGIH TLV:10MG/M3 DUST; 9192

Ingred Name:4,4'-CYCLOHEXYLIDENEDIPHENOL-PHOSGENE POLYMER  
CAS:25134-45-6  
Fraction by Wt: 1%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:N- (4- DIPHENYLAMINO  
PHENYL)-2,3-DIHYDRO-2,3-DIMETHYL-1H-INDOL-1-AMINE;  
CAS:113840-79-2  
Other REC Limits:NONE RECOMMENDED

Ingred Name:PIGMENT  
CAS:26201-32-1  
Fraction by Wt: 1%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50  
(RAT) IS >5000 MG/KG  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NA  
Explanation of Carcinogenicity:NOT CARCINOGENIC.  
Effects of Overexposure:NA  
Medical Cond Aggravated by Exposure:NA

===== First Aid Measures =====

First Aid:NA

===== Fire Fighting Measures =====

Flash Point:NA  
Autoignition Temp:Autoignition Temp Text:NA  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM OR WATER.  
Fire Fighting Procedures:THIS MATERIAL WILL BE SCORCHED IN CASE OF  
FIRE.  
Unusual Fire/Explosion Hazard:THIS MATERIAL HAS NO UNUSUAL FIRE OR  
EXPLOSION HAZARD.

===== Accidental Release Measures =====

Spill Release Procedures:NO SPECIAL PRECAUTIONS.  
Neutralizing Agent:NA

===== Handling and Storage =====

Handling and Storage Precautions:N

O SPECIAL STORAGE REQUIREMENTS FOR  
SAFETY REASONS.

Other Precautions:NO OTHER SPECIAL PRECAUTIONS FOR SAFETY REASONS IN  
NECESSARY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER NORMAL USE.

Ventilation:NONE

Protective Gloves:NONE REQUIRED UNDER NORMAL USE.

Eye Protection:NORMALLY NOT REQUIRED.

Other Protective Equipment:NONE

Work Hygienic Practices:NONE

Supplemental Safety and Health

NONE

===== Physical/Chem  
ical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:2.7

pH:NA

Viscosity:NA

Evaporation Rate & Reference:NA

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CYANINE GREEN, ODORLESS AND SOLID CYLINDER.

Percent Volatiles by Volume:NA

Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability

Condition to Avoid:NONE

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND  
OXIDES OF NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods:WASTE MATERIAL MAY BE DUMPED OR INCINERATED  
UNDER THE CONDITIONS WHICH MEET ALL FEDERAL,, STATE AND LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The U

nited States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.