

EASTMAN KODAK COMPANY -- 146 2845 GLACIAL ACETIC ACID -- 6750-01-387-4450  
===== Product Identification =====

Product ID:146 2845 GLACIAL ACETIC ACID  
MSDS Date:08/05/1995  
FSC:6750  
NIIN:01-387-4450  
MSDS Number: BXCDL  
=== Responsible Party ===  
Company Name:EASTMAN KODAK COMPANY  
Address:343 STATE STREET  
City:ROCHESTER  
State:NY  
ZIP:14650  
Country:US  
Info Phone Num:716-722-5151 (TRANS: 800-242-2424)

Emer  
gency Phone Num:716-722-5151  
CAGE:19139

=== Contractor Identification ===  
Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS  
Address:343 STATE ST  
Box:City:ROCHESTER  
State:NY  
ZIP:14650-1115  
Country:US  
Phone:716-722-5151/(800) 242-2424  
CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:ACETIC ACID (CERCLA)  
CAS:64-19-7  
RTECS #:AF1225000  
Fraction by Wt: 100%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 PPM  
ACGIH TLV:10 PPM/15 STEL; 9495  
EPA Rpt Qty

:5000 LBS  
DOT Rpt Qty:5000 LBS

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 3310 MG/KG  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: INHALATION OF VAPOR EXTREMELY IRRITATING; MAY CAUSE DELAYED LUNG INJURY. CONTACT MAY CAUSE SEVERE SKIN AND EYE BURNS, SEVERE EYE IRRITATION. INGESTION MAY BE FATAL; MAY CAUSE BURNS TO GI T  
RACT. CHRONIC: NONE SPECIFIED BY MANUFACTURER.  
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.  
Effects of Overexposure:INHALED-COUGHING, WHEEZING, CHEST PAIN, SHORTNESS OF BREATH. EYES-PAIN, TEARING, REDNESS, BURNS, BLURRED VISION. SKIN-REDNESS, PAIN, BURNS. INGESTED-ABDOMINAL PAIN, NAUSEA, VOMITING, DIARRHEA, BURNS T O MOUTH/THROAT/ESOPHAGUS.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:INHALED-REMOVE TO FRESH AIR. GIVE OXYGEN IF CYANOTIC OR BREATHING DIFFICULT. GET MEDICAL ATTENTION. EYES: FLUSH WITH LOTS OF WATER FOR AT LEAST 15 MINUTES. CALL DOCTOR OR POISON CONTROL CENTER. SKIN-REMOVE CLOTHES WHILE FLUSHING WITH WATER. GET MEDICAL ATTENTION. INGESTED-DO NOT INDUCE VOMITING! CALL A DOCTOR OR POISON CONTROL CENTER IMMEDIATELY! NOTHING BY MOUTH IF UNCONSCIOUS.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:103F,39C  
Autoignition Temp:Autoignition Temp Text:960F  
Lower Limits:6.6 %  
Upper Limits:19.3 %  
Extinguishing Media:USE WATER SPRAY, CARBON DIOXIDE, ALCOHOL FOAM, OR DRY CHEMICAL.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL FIRE EXPOSED CONTAINERS WITH WATER.  
Unusual Fire/Explosion Hazard:COMBUSTIBLE.

=====  
===== Acciden

tal Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. MAY REQUIRE  
NEUTRALIZATION IF PH