View NSN Online: https://aerobasegroup.de/nsn/6810-00-237-2934

Product ID:CALCIUM CHLORIDE,C 77 MSDS Date:06/30/1994 FSC:6810 NIIN:00-237-2934 **MSDS Number: BXCFD** === Responsible Party === Company Name: FISHER SCIENTIFIC, CHEMICAL DIV. Address:1 REAGENT LANE City:FAIR LAWN State:NJ ZIP:07410 Country:US Info Phone Num:201-796-7100 **Emergency Phone Num:** 201-796-7100/800-424-9300(CHEMTREC) CAGE:1B464 === Contractor Identification === Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV Address:1 REAGENT LANE Box:City:FAIRLAWN State:NJ ZIP:07410-2802 Country:US Phone:201-796-7100 CAGE:1B464

Ingred Name:CALCIUM CHLORIDE CAS:10043-52-4 RTECS #:EV9800000 Fraction by Wt: >96% Other REC Limits:TWA 5 MG/M3 MALLINCK

Ingred Name:CALCIUM HYDROXIDE CAS:1305-62-0 RTECS #:EW2800000 Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:5 MG/M3; 9495

Ingred Name:MAGNESIUM SALT Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKALI SALTS Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 1000 MG/KG. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY

& GI TRACTS. ACUTE- INHALE:DUST MAY CAUSE IRRITATION. SKIN:CORROSIVE. MAY CAUSE SEVERE IRRITATION, BLISTERING. EYE:MAY CAUSE PAIN & INJURY. ORAL:MAY CAUSE ABDOMIN AL SPASMS & NAUSEA. FATAL DOSE IS ESTIMATED TO BE 30 GRAMS. CHRONIC- MAY CAUSE DERMATITIS, PERFORATION OF NASAL SEPTUM.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, PAIN, DERMATITIS, COUGHING, NOSE BLEED, ULCERATION, REDNESS, CARDIOVASCULAR IRREGULARITIES Medical Cond Aggravated by Expo

sure: INDIVIDUALS WITH PRE-EXISTING

DISEASES OF THE EYE, SKIN, RESPIRATORY TRACT MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYE:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. GET PROMPT MEDICAL ATTENTION. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:DO NOT INDUCE VOMITING. IF VOMITING OCCURS, KEEP HE AD

LOWER THAN HIPS TO HELP PREVENT ASPIRATION. GET MEDICAL ATTENTION IMMEDIATELY. SKIN:WASH WITH SOAP & WATER.

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. MOVE CONTAINER FROM FIRE AREA IF YOU CAN DO IT WITHOUT R

ISK. Unusual Fire/Explosion Hazard:CORROSIVE VAPORS MAY FORM.

Spill Release Procedures:DO NOT TOUCH SPILLED MATERIAL. STOP LEAK IF YOU CAN DO IT WITHOUT RISK. TAKE UP SPILL WITH SAND. PICK UP SMALL DRY SPILL WITH DRY SHOVEL. TRANSFER TO A CONTAINER AND COVER FOR LATER DISPOSAL. AVOID CR EATING DUST. WASH SPILL AREA.

Handling and Storage Precautio

ns:STORE IN DRY PLACE AWAY FROM MOISTURE

& INCOMPATIBLES. KEEP CONTAINER TIGHTLY CLOSED. DO NOT CONSUME FOOD, DRINK WHILE WORKING WITH THIS MATERIAL.

Other Precautions:DO NOT RAISE DUST. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. AVOID INHALATION OF DUST. WASH THOROUGHLY AFTER HANDLING MATERIAL. KEEP OUT OF REACH OF CHILDREN. OBEY HAZARD WARNING OF LABEL.

Respiratory Protection:NONE NORMALLY REQUIRED. IF AI RBORNE

CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED DUST RESPIRATOR OR DUST MASK.

Ventilation:ADEQUATE

Protective Gloves:RUBBER

Eye Protection:TIGHT-FITTING SAFETY GOGGLES

Other Protective Equipment: EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN. PH RANGE OF A 5% SOLUTION: 4.5 - 8.5.

==

HCC:B3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:=1600.C, 2912.F Melt/Freeze Pt:=777.2C, #####F Spec Gravity:2.15 pH:8.5 5% Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:74.5% @ 68F Appearance and Odor:CUBIC CRYSTALS, GRANULES OR FUSED MASSES, VERY HYGROSCOPIC

Stability Indicator/Materials to Avoid:YES BORIC OXIDE, BROMINE TRIFULORIDE, FURAN-2-PEROXYCABOXYLIC ACID, METALS+MOISTURE, WATER, METHYL VINYL ETHER, ZINC (->H2) Stability Condition to Avoid:MOISTURE Hazardous Decomposition Products:MAY FORM TOXIC AND CORROSIVE CHLORINE GAS.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elemen ts of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.