

3M -- SCOTCHCAST BRAND ELECTRICAL RESIN 280, PART A

=====
MSDS Safety Information
=====

FSC: 5970
NIIN: 01-165-8848
MSDS Date: 06/19/1992
MSDS Num: BXCPM
Product ID: SCOTCHCAST BRAND ELECTRICAL RESIN 280, PART A
MFN: 01
Kit Part: Y
Responsible Party
Cage: 0F0U5
Name: 3M
Address: 3M CENTER
City: ST. PAUL MN
55144-1000
Info Phone Number: 612-733-1110
Emergency Phone Number: 612-733-1110
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 76381
Name: MINNESOTA MINING AND MFG CO, DBA 3M
Address: 3M CENTER BLDG 224-5S-04
City: SAINT PAUL MN 55144-1000
Phone: 866-556 5712 / 612-733-1110
Cage: 0F0U5
Name: PACEBROOK LTD
Address: 15 GOSDITCH ST
City: CIRENCESTER GLOS GL7 2AG NK 00000
Country:
UK
Phone: NONE

=====
Item Description Information
=====

Item Manager: S9G
Item Name: INSULATING COMPOUND KIT,ELECTRICAL
Unit of Issue: EA
UI Container Qty: 1

=====
Ingredients
=====

Name: NO INGREDIENT FOR THIS FORMULATION_INGREDIENT
=====

Health H

azards Data

LD50 LC50 Mixture: NOT GIVEN FOR PRODUCT AS A WHOLE

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: MAY CAUSE EYE IRRITATION. SKIN CONTACT MAY CAUSE IRRITATION. MAY CAUSE SKIN SENSITIZATION IN SUSCEPTIBLE INDIVIDUALS. INHALATION MAY CAUSE UPPER RESPIRATORY IRRITATION. INGESTION MAY CAUSE IRRITATION OF THE GI TRACT.

Explanation Of Carcinog

enicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Signs And Symptoms Of Overexposure: EYE IRRITATION, SKIN IRRITATION, SKIN SENSITIZATION, SORENESS OF NOSE AND/OR THROAT, COUGHING AND SNEEZING, ABDOMINAL PAIN, VOMITING, ABDOMINAL TENDERNESS, NAUSEA, BLOOD IN VOMITUS, BLOOD IN FECES.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN.

GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: DRINK TWO GLASSES OF WATER. CALL A PHYSICIAN.

Handling and Disposal

Spill Release Procedures: REFER TO OTHER SECTIONS OF THIS MSDS FOR INFORMATION

REGARDING PHYSICAL AND HEALTH HAZARDS, RESPIRATORY PROTECTION, VENTILATION AND PERSONAL PROTECTIVE EQUIPMENT. CALL 612-733-1110 OR 612-733-6100 FOR ASSISTANCE. COVER WITH ABSORBENT MATERIAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE

AWAY FROM HEAT. KEEP CONTAINER IN WELL-VENTILATED AREA. KEEP OUT OF THE REACH OF CHILDREN. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions: DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. WASH EXPOSED AREAS THOROUGHLY WITH SOAP AND WATER.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: CC

Flash Point Text: >350F,>177C

Lower Limits: NOT GIVEN

Upper Limits: N

OT GIVEN

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM

Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

=====
Control Measures
=====

Respiratory Protection: AVOID INHALATION OF VAPORS CREATED DURING THE CURE CYCLE. SELECT A NIOSH APPROVED RESPIRATOR BASED ON AIRBORNE CONCENTRATION OF CONTAMINANTS AND IN ACCORDANCE WITH OSHA REGULATIONS.

Ventilation: LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION AS REQUIRED TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves: WEAR APPROPRIATE GLOVES WHEN HANDLING

Eye Protection: UNVENTED GOGGLES

Other Protective Equipment: CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE

EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health: COOL DOWN AREA SHOULD BE VENTILATED TO PREVENT VAPORS FROM ENTERING THE WORK AREA.

=====
Physical/Chemical Properties
=====

HCC: N1

B.P. Text: NOT GIVEN

M.P/F.P Text: NOT GIVEN

Decomp Text: UNKNOWN

Vapor Pres: NOT GIVEN

Vapor Density: NOT GIVEN

Spec Gravity: 1.15

Evaporation Rate & Reference: NOT GIVE

N
Solubility in Water: NIL
Appearance and Odor: CLEAR AMBER LIQUID
Percent Volatiles by Volume: 0 %
Corrosion Rate: UNKNOWN

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.
Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE.
Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE. WILL NOT OCCUR.
=====

Toxicological Information
=====

Ecological Information
=====

MSDS Transport Information
=====

Regulatory Information
=====

Other Information
=====

Transportation Information
=====

Responsible Party Code: 0F0U5
Trans ID NO: 112485
Product ID: SCOTCHCAST BRAND ELECTRICAL RESIN 280, PART A
MSDS Prepared Date: 06/19/1992
Review Date: 06/28/1995
MFN: 1
Multiple KIT Number: 0
Kit Part IND: Y
Review IND: Y
Unit Of Issue: EA
Container QTY: 1

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information
=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NO

T REGULATED BY THIS MODE OF TRANSPORTATION

=====
HAZCOM Label
=====

Product ID: SCOTCHCAST BRAND ELECTRICAL RESIN 280, PART A

Cage: 0F0U5

Company Name: PACEBROOK LTD

Street: 15 GOSDITCH ST

City: CIRENCESTER GLOS GL7 2AG NK

Zipcode: 00000

Country: UK

Health Emergency Phone: 612-733-1110

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: MAY CAUSE EYE IRRITATION. SKIN CONTACT MAY CAUSE IRRITATION. MAY CAUSE SKIN SENSITIZATION IN SUSCEPTIBLE INDIVIDUALS. INHALATION MAY CAUSE UPPER RESPIRATORY IRRITATION. INGESTION MAY CAUSE IRRITATION OF THE GI TRACT.

EYE IRRITATION, SKIN IRRITATION, SKIN SENSITIZATION, SORENESS OF NOSE AND/OR THROAT, COUGHING AND SNEEZING, ABDOMINAL PAIN, VOMITING, ABDOMINAL TENDERNESS, NAUSEA, BLOOD IN VOMITUS, BLOOD IN FECES.

=====
=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United State

s of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.