

J AND R INDUSTRIES (FACTORY LOCATION) -- WS-516A ACCELERATOR -- 8030-00-881-5238
===== Product Identification =====

Product ID:WS-516A ACCELERATOR

MSDS Date:08/01/1994

FSC:8030

NIIN:00-881-5238

Kit Part:Y

MSDS Number: BXDNW

=== Responsible Party ===

Company Name:J AND R INDUSTRIES (FACTORY LOCATION)

Address:800 E. ANAHEIM ST

City:WILMINGTON

State:CA

ZIP:90744

Country:US

Info Phone Num:310-476-71

21

Emergency Phone Num:310-476-7121

CAGE:7X230

=== Contractor Identification ===

Company Name:J AND R INDUSTRIES (FACTORY LOCATION)

Address:800 E. ANAHEIM ST

Box:City:WILMINGTON

State:CA

ZIP:90744

Country:US

Phone:310-476-7121

CAGE:7X230

Company Name:TECHCON SYSTEMS INC

Address:1059 E BEDMAR ST

Box:City:CARSON

State:CA

ZIP:90746-3601

Country:US

CAGE:22975

===== Composition/Information on Ingredients =====

Ingred Name:LEAD OXIDE

CAS:1309-60-0

RTECS #:OG0700000

Fraction by Wt:

70%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:N/A. MFR GAVE NO OTHER INFORMATION ON MSDS.

Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS DOES NOT EXPECT IT TO BE CARCINOGENIC.

Effects of Overexposure:MFR GAVE NO INFORMATION ON MSDS.

Medical Cond

Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS.

=====
First Aid Measures
=====

First Aid:USE PLENTY OF WATER. MFR GAVE NO FURTHER INFORMATION ON MSDS. (HMIS:ALSO SEE OTHER PRECAUTIONS.)

=====
Fire Fighting Measures
=====

Flash Point:400F,204C

Extinguishing Media:STANDARD COMMERCIAL EXTINGUISHER

Fire Fighting Procedures:STANDARD

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:WASH WITH PLENTY OF WATER.

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

=====
Handling and Storage
=====

Handling and Storage Precautions:CONTAINS TOXIC LEAD COMPOUND. AVOID CONTACT WITH SKIN AND INGESTION. ALWAYS WASH HANDS BEFORE EATING & SMOKING.

Other Precautions:IF ACCELERATOR CONTACTS SKIN FLUSH AREA WITH WARM WATER. IN CASE OF INGESTION OBTAIN MEDICAL ATTENTION. STORE IN CLOSED CON

TAINERS AWAY FROM HEAT OR FLAME.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE ADEQUATE VENTILATION.

Ventilation:MFR GAVE NO INFORMATION ON MSDS.

Protective Gloves:USE PROTECTIVE GLOVES

Eye Protection:USE GOGGLES

Other Protective Equipment:MFR GAVE NO INFORMATION ON MSDS.

Work Hygienic Practices:MFR:?. HMIS:USE GOOD CHEMICAL HYGIENE

PRACTICES. AVOID CONTACT IF AT ALL POSSIBLE. WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

h

KEY1:D2.THE INGREDIENTS LISTED ON THIS MSDS ARE ALSO CONTAINED ON THE PREVIOUS ONE (P/N IND. B) ALONG WITH OTHERS. THIS MAY OR MAY NOT BE A NEW FORMULATION.

===== Physical/Chemical Properties =====

HCC:F4

NRC/State Lic Num:NONE

Spec Gravity:2.61

Evaporation Rate & Reference:NONE

Solubility in Water:NONE

Appearance and Odor:BROWN PASTE

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicat

or/Materials to Avoid:YES

Stability Condition to Avoid:AVOID CONTACT WITH SKIN. CONTAINS LEAD.

Conditions to Avoid Polymerization:WILL NOT OCCUR. FREEZING

===== Disposal Considerations =====

Waste Disposal Methods:SAME AS FOR TOXIC LEAD PRODUCTS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, express

ly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.